

Form PTO-1595 (Rev. 09/04)
OMB No. 0651-0027 (exp. 6/30/2005)

U.S. DEPARTMENT OF COMMERCE
United States Patent and Trademark Office

RECORDATION FORM COVER SHEET PATENTS ONLY

To the Director of the U.S. Patent and Trademark Office: Please record the attached documents or the new address(es) below.

1. Name of conveying party(ies)/Execution Date(s):

Kautex Inc. (f/k/a Textron Automotive Company Inc.)

Execution Date(s) 12/20/01

Additional name(s) of conveying party(ies) attached? ☐ Yes ☒ No

3. Nature of conveyance:

- ☒ Assignment ☐ Merger
☐ Security Agreement ☐ Change of Name
☐ Government Interest Assignment
☐ Executive Order 9424, Confirmatory License
☐ Other _____

2. Name and address of receiving party(ies)

Name: Collins & Alkman Products Co.

Internal Address: _____

Street Address: 350 Stephenson Hwy

City: Troy

State: MI

Country: USA Zip: 48083

Additional name(s) & address(es) attached? ☐ Yes ☒ No

4. Application or patent number(s):

A. Patent Application No.(s)

09/699,263

☐ This document is being filed together with a new application.

B. Patent No.(s)

5,961,143

Additional numbers attached? ☒ Yes ☐ No

5. Name and address to whom correspondence concerning document should be mailed:

Name: David B. Cupar, Esq.

Internal Address: McDonald Hopkins Co., LPA

Street Address: 600 Superior Ave., Ste. 2100

City: Cleveland

State: OH Zip: 44115

Phone Number: 216-348-5400

Fax Number: 216-348-5474

Email Address: dcupar@mcdonaldhopkins.com

6. Total number of applications and patents involved:

85

7. Total fee (37 CFR 1.21(h) & 3.41) \$ 3400.00

- ☐ Authorized to be charged by credit card
☒ Authorized to be charged to deposit account
☐ Enclosed
☐ None required (government interest not affecting title)

8. Payment Information

a. Credit Card Last 4 Numbers _____
 Expiration Date _____

b. Deposit Account Number 130265

Authorized User Name David B. Cupar

9. Signature:

David B. Cupar

Signature

October 29, 2004

Date

David B. Cupar

Name of Person Signing

Total number of pages including cover sheet, attachments, and documents:

9

Documents to be recorded (including cover sheet) should be faxed to (703) 306-5995, or mailed to:
 Mail Stop Assignment Recordation Services, Director of the USPTO, P.O. Box 1450, Alexandria, V.A. 22313-1450

CH \$3400.00 130265 09699263

700127325

PATENT
REEL: 015312 FRAME: 0258

PATENT NUMBERS

6,042,139
5,901,977
6,050,595
5,845,931
6,131,945
6,203,056
5,941,558
5,992,877
6,123,356
5,927,747
6,139,049
6,062,590
5,863,064
6,012,735
5,816,609
6,158,795
6,086,129
5,823,599
6,086,145
6,127,021
5,922,256
6,037,038
6,082,786
5,915,777
5,952,630
6,095,594
6,030,030
5,595,422
5,667,281
6,196,612
5,843,365
6,196,744
6,156,249
5,919,494
6,076,246
5,435,956
6,116,078

APPLICATION NUMBERS

60/187,529
09/551,784
60/231,099
09/631,763
09/562,860
09/504,398
09/335,114
09/587,707
09/658,756
08/906,757
09/127,681
09/643,160
60/214,579
09/605,309
09/685,444
09/528,396
09/322,585
09/576,776
60/199,442
60/188,403
09/639,727
09/644,917
09/577,742
09/552,110
09/292,025
09/625,117
60/256,660
09/625,113
09/570,316
09/658,583
09/649,112
09/619,147
60/238,954
60/208,146
09/636,425
09/378,381
09/380,535
09/380,440
60/203,626
60/181,942
09/502,054
60/157,147
60/211,854
09/178,117
09/248,948
08/906,813

OCT-29-2004 FRI 03:56 PM TEXTRON LEGAL DPT

FAX NO. 401 457 3668

P. 02

NUNC PRO TUNC PATENT ASSIGNMENT

WHEREAS, **Kantex Inc. (f/k/a Textron Automotive Company Inc.)**, a Delaware corporation ("Assignor"), is the owner of the entire right, title and interest to the patents and invention disclosures listed in Exhibit A annexed hereto and made a part hereof (the "Patents"); and

WHEREAS, **Collins & Aikman Products Co.**, a Delaware corporation ("Assignee"), is desirous of acquiring the entire right, title and interest in and to the Patents.

NOW, THEREFORE, for good and valuable consideration, the receipt of which is hereby acknowledged, and intending to be legally bound hereby, Assignor hereby sells, assigns, transfers, sets over and delivers to Assignee, and Assignee hereby accepts, all of Assignor's right, title and interest in and to (a) the patents, patent applications and invention disclosures set forth on Attachment 1 hereto (collectively, the "Patents"), (b) all continuations, continuations-in-part, divisionals, reissues, reexaminations, substitutes and extensions of said patents, and (c) all causes of action, claims and demands or other rights for, or arising from any infringement of the Patents currently or in the future.

Upon reasonable request of Assignee, Assignor shall execute and deliver to Assignee such other documents and instruments as may be required to effectuate fully this Assignment Agreement and to permit Assignee to be duly recorded as the registered owner and proprietor of the rights hereby conveyed.

[Remainder of page intentionally left blank.]

(564052-2)

OCT-29-2004 FRI 03:56 PM TEXTRON LEGAL DPT

FAX NO. 401 457 3666

P. 03

[Signature page to Assignment.]

IN WITNESS WHEREOF, Assignor has executed this Nunc Pro Tunc Patent Assignment effective as of December 20, 2001.

Kantex Inc. (f/k/a
Textron Automotive Company Inc.)

By: *Ann T. Willaman*

Name: Ann T. Willaman

Title: Vice President and Secretary

STATE OF RHODE ISLAND

COUNTY OF PROVIDENCE

On this 29th day of October 2004, before me, a Notary Public, came Ann T. Willaman, to me known and known by me to be the individual described in and who executed the foregoing, and she duly acknowledged the same to be her free act and deed.

Susan A. Perrier
Notary Public



My Commission Expires: 8-16-2005

{566082-2}

2

10/29/04 FRI 14:51 [TX/RX NO 7325]

PATENT

REEL: 015312 FRAME: 0261

ATTACHMENT 1**PATENTS**

Title/Description	Jurisdiction	Patent No.
AIRBAG		
Motor vehicle air bag cover having a skin with perforated score line and a method for manufacture thereof	US	5,961,143
Integral PSIR door for an instrument panel and method for making same	US	6,042,139
Applique for concealing and retaining cover tear seam for air bag	US	5,901,977
Pec back method and apparatus for deployably concealing an air bag behind an instrument panel	US	6,050,595
Instrument panel having integrated airbag deployment door	US	5,845,931
Apparatus for deploying an airbag through a hard panel	US	6,131,945
	US	6,203,056
	US	5,941,558
Window mounted air bag	US	5,992,877
Construction and method of making air bag closure assembly	US	6,123,356
Air bag door hold down retainer	US	5,927,747
Air bag tear seam and method of manufacture	US	6,139,049
	US	6,062,590
Skin for automotive air bag cover panel formed by casting different plastic materials	US	5,863,064
Trim panel having air bag door and method for making same	US	6,012,735
	US	5,816,609
INSTRUMENT PANEL & CONSOLE		
Mechanized floor console	US	6,158,795
	US	6,086,129
	US	5,823,599
TRIM - GENERAL		
Blow molded headliner	US	6,086,145
Material system for soft interior automotive parts	US	6,127,021
TRIM - AESTHETIC FEATURES		
Molding method for making plastic foam-backed shells	US	5,922,256
HANDLES		
Vehicle interior trim member having integrally molded hollow assist handle	US	6,037,038
FASTENING & LATCHING MECHANISMS		
Door latch assembly with integral spring	US	6,082,786
STORAGE, MAP POCKET & CUP HOLDERS		
Cab compartment storage system	US	5,915,777
ELECTRONIC (WIRING, CONNECTORS, SWITCHES, ETC)		
Airrest electrical switch array	US	5,952,630
EXTERIOR		
Exterior body side cladding attachment for a motor vehicle and related method	US	6,095,594
Exterior body side sill molding attachment for a motor vehicle and related method	US	6,030,030

PATENT

REEL 015312 FRAME 0262

Title/Description	Jurisdiction	Patent No.
Wheel cover assembly having anti-theft retainer system	US	5,595,422
Wheel cover assembly	US	5,667,281
Storable exterior convenience seat	US	6,196,612
FIBERGLASS PREFORMS		
Directed fiber preforming apparatus and method having fiber lay-up control	US	5,843,365
MANUFACTURING - GENERAL		
Method and apparatus for repairing plastic parts	US	6,196,744
Ergonomic mold manipulator	US	6,156,249
	US	5,919,494
MANUFACTURING - FOAM PROCESSING		
Method for manufacturing an automotive interior trim component and the resultant construction thereof	US	6,076,246
INJECTION MOLDING		
In-mold degating method and apparatus	US	5,435,956
MISCELLANEOUS		
Adjustable fixture for head impact testing	US	6,116,078

PATENT APPLICATIONS

Title/Description	Jurisdiction	Application No.
AIRBAG		
Air bag cover assembly	US	09/699,263
Airbag door with an electromagnetic field	US	60/187,529
Inflatable restraints apparatus	US	09/551,784
PVC alloy for use in air bag doors	US	60/231,099
Automotive trim panel	US	09/631,763
Passenger protection apparatus for a motor vehicle	US	09/562,860
Airbag door and method of making the same	US	09/504,398
Integral airbag door configuration	US	09/335,114
	EP	99933517.7
	BR	PI9906534-7
	CA	2300292
	HK	107461.5
	JP	2000-554590
	KR	2000-7001636
	MX	1747
Vehicle interior panel and method of making same	US	09/587,707
Motor vehicle air bag cover having a skin with perforated score line and a method for manufacture thereof	EP	99920024.9
	BR	PI9910355-9
	CA	2320553
	CN	99806020.8
	CZ	PV2000-3957
	JP	2000-548196
	KR	2000-701257
	MX	2000010850
Integral PSIR door for an instrument panel and method for making same	EP	99902352.6
	BR	PI9907999-2

PATENT

REEL: 015312 FRAME: 0263

C&A LEGAL

0007

Title/Description	Jurisdiction	Application No.
	CA	2319332
	CN	99803081.3
	JP	2000-532310
	KR	2000-7009153
	MX	2000007954
Applique for concealing and retaining cover tear seam for air bag	EP	98935922.9
	BR	P19812521-4
	CA	2301598
	HK	107750.5
	JP	2000-512708
	KR	2000-7003152
	MX	2361
Peel back method and apparatus for deployably concealing an air bag behind an instrument panel	EP	99903198.2
Apparatus for deploying an airbag through a hard panel	PCT	US99/13592
	EP	98924940.4
	BR	P19809739-3
	CA	2293402
	CN	98806020.5
	HK	106222.7
	JP	11-502573
	KR	1999-7011587
	MX	9911435
	EP	99928719.6
	BR	P19911286
	CA	TBD
	CN	TBD
	JP	2000-554589
	KR	2000-7014325
	MX	TBD
Construction and method of making air bag closure assembly	US	09/658,756
	US	08/906,757
SIR door with rivet type closure fastener	EP	08/906,813
Frontal weakening of invisible air bag door cover	EP	97934295.3
	CA	2266369
	JP	10-515618
	KR	7002531/99
	MX	992746
Air bag tear seam and method of manufacture	EP	96941331.9
	CA	2235930
	JP	518348/97
	KR	703437/98
	MX	983678
Method of forming a motor vehicle instrument panel with a flexibility tethered air	US	09/127,681
Skin for automotive air bag cover panel formed by casting different plastic materials	US	TBD
	EP	98931414.1
	BR	P19811175-2
	CA	2298671
	JP	2000-509612
	MX	1502
Trim panel having air bag door and method for making same	EP	97934965.1
INSTRUMENT PANEL & CONSOLE		
Centrifugal impeller and housing	US	09/643,160
High performance automotive HVAC architecture	PCT	US 00/32002

Title/Description	Jurisdiction	Application No.
Console heating and cooling apparatus	US	60/214,579
TRIM - GENERAL		
Method of forming a return flange on an automotive trim component	US	09/605,309
Material and method for manufacturing plastic parts	US	09/685,444
Double slush molding method	US	09/528,396
Improved method for applying BSR elastomer	US	09/322,585
	PCT	US00/13502
Blow molded headliner	US	09/576,776
TRIM - AESTHETIC FEATURES		
Automotive trim components having aesthetic features	US	60/199,442
Automotive trim components having aesthetic features	US	60/188,403
Method of forming design in a layered plastic panel using a laser	PCT	US 00/02863
Method for casting multicolored parts for automotive interior applications	US	09/639,727
Method for forming two-tone parts for automotive interior applications	US	09/644,917
Structure for connecting automotive interior trim skin portions	US	09/577,742
Method for embedding a colored feature into a panel surface	US	09/552,110
Molding method for making plastic foam-backed shells	US	09/292,025
Fabrication of multiple color gauge and textured interior auto components	EP	97920226.4
	CA	2250773
	JP	09-538904
	KR	708794/98
	MX	989074
HANDLES		
Vehicle interior trim member having integrally molded hollow assist handle	PCT	US99/02360
	EP	99905704.5
ELECTRONIC (WIRING, CONNECTORS, SWITCHES, ETC)		
Automotive trim panel with electrical wiring incorporated therein	US	09/625,117
Integrated dual function circuitry and antenna system	US	TBD
Integrated dual function circuitry and antenna system	US	60/256,660
Automotive trim panel with electrical wiring incorporated therein	US	09/625,113
Method and structure for fixing a connector to a vehicle member	US	09/570,316
Visual display device	US	09/658,583
Armrest electrical switch array	EP	96931528.2
	JP	512772/97
LIGHTING		
Backlighting method for an automotive trim panel	US	TBD
Lighting device for motor vehicles	US	09/649,112
Ground lighting device for motor vehicles	US	09/619,147
EXTERIOR		
Motor vehicle door assembly with canopy assembly	US	60/238,954
Motor vehicle bumper	US	60/208,146
Air-intake management device	PCT	US 00/35215
Sliding tow bar bumper system	US	09/636,425
Slip joint cowl grille	US	09/378,381
Storable exterior convenience seat	EP	97903903.9
	JP	526961/97

PATENT

REEL: 015312 FRAME: 0265

Title/Description	Jurisdiction	Application No.
BRIGHT TRIM		
Top coat for metallic island coating system	US	09/380,535
	US	09/380,440
MANUFACTURING - GENERAL		
Part sequencing system	US	60/203,626
Gage thickness measurement by use of inductive sensors	US	60/181,942
Method and apparatus for repairing plastic parts	EP	98906413.4
	BR	PI9807699-0
	CA	2281824
	CN	98803599.5
	JP	10-535947
	MX	997635
Ergonomic mold manipulator	EP	98918497.3
	JP	11-500666
MANUFACTURING - FOAM PROCESSING		
Method for manufacturing an automotive interior trim component and the resultant construction thereof	US	09/502,054
INJECTION MOLDING		
Method and apparatus for molding plastic materials with a metallic appearance	US	60/157,147
	PCT	US 00/26901
Quick mold change clamping plate and support brackets	US	60/211,854
Composite product and method and apparatus for its formation	US	09/178,117
	PCT	US99/24636
Multiple drop edge gate for injection molding	US	09/248,948
MISCELLANEOUS		
Motor vehicle interior components (includes DV2592/DV2424 (P-2592.1), DV2603/DV2461 (P-2603.2), DV2562 (P-768), DV2448/DV2414 (P-2448.1), DV2638 (PR-2638.2))	US	TBD
	BR	TBD
	CA	TBD
	CN	TBD
	EP	TBD
	JP	TBD
	MX	TBD
	KR	TBD

INVENTION DISCLOSURE

Use of Comminuted Thermoplastic Material for Slush or Rotational Molding

US United States

BR Brazil

EP Europe

CA Canada

CN China

CZ Czech Republic

HK Hong Kong

JP Japan

KR Republic of Korea

MX Mexico

PATENT**RECORDED: 10/29/2004****REEL: 015312 FRAME: 0266**