



DH

Form PTO-1595 (Rev. 03-09)
OMB No. 0651-0027 (exp. 03/31/2009)

03/26/2013

DEPARTMENT OF COMMERCE
Patent and Trademark Office



103656771

RECORDATION
PATENT

To the Director of the U.S. Patent and Trademark Office: Please record the attached documents or the new address(es) below.

1. Name of conveying party(ies)

Tempur-Pedic Management, LLC
SEALY TECHNOLOGY LLC

Additional name(s) of conveying party(ies) attached? Yes No

2. Name and address of receiving party(ies)

Name: Bank of America, N.A., as Collateral Agent

Internal Address: _____

Street Address: Bank of America Plaza

901 Main Street

City: Dallas

State: Texas

Country: U.S.A. Zip: 75202-3714

Additional name(s) & address(es) attached? Yes No

3. Nature of conveyance/Execution Date(s):

Execution Date(s) March 18, 2013

- Assignment Merger
- Security Agreement Change of Name
- Joint Research Agreement
- Government Interest Assignment
- Executive Order 9424, Confirmatory License
- Other Patent Security Agreement

4. Application or patent number(s):

This document is being filed together with a new application.

A. Patent Application No.(s)

SEE SCHEDULE 1 ATTACHED.

B. Patent No.(s)

SEE SCHEDULE 1 ATTACHED.

Additional numbers attached? Yes No

5. Name and address to whom correspondence concerning document should be mailed:

Name: Thomas Fahey

Internal Address: National Corporate Research, Ltd.

Street Address: 1100 G Street, N.W., Suite 420

City: Washington

State: DC Zip: 20005

Phone Number: 202-370-4761

Fax Number: 800-494-7512

Email Address: tfahey@nationalcorp.com

6. Total number of applications and patents involved: 184

7. Total fee (37 CFR 1.21(h) & 3.41) \$7,360.00

- Authorized to be charged to deposit account
- Enclosed
- None required (government interest not affecting title)

8. Payment Information

Deposit Account Number _____

04/02/2013 KNGUYENI 00000005 D666448

Authorized User Name _____

01 FC:8021

7360.00

9. Signature:

Sackman
Signature

March 20, 2013

Date

Sonya Jackman

Name of Person Signing

Total number of pages including cover sheet, attachments, and documents:

30

Documents to be recorded (including cover sheet) should be faxed to (571) 273-0140, or mailed to:
Mail Stop Assignment Recordation Services, Director of the USPTO, P.O. Box 1450, Alexandria, V.A. 22313-1450

PATENT
REEL: 030165 FRAME: 0264



**Schedule 1
to Patent
Security Agreement**

PATENTS AND DESIGN PATENTS

| <u>Owner</u> | <u>Title</u> | <u>Patent No.</u> | <u>Issued</u> | <u>Expiration</u> |
|----------------------|---|-------------------|---------------|-------------------|
| Sealy Technology LLC | MATTRESS QUILT MOTIF | D666,448 | 9/4/12 | |
| Sealy Technology LLC | MATTRESS QUILT MOTIF | D662,751 | 7/3/12 | |
| Sealy Technology LLC | EURO TOP MATTRESS FOUNDATION | D663,152 | 7/10/12 | |
| Sealy Technology LLC | PILLOW TOP MATTRESS FOUNDATION | D662,753 | 7/3/12 | |
| Sealy Technology LLC | TIGHT TOP MATTRESS FOUNDATION | D662,754 | 7/3/12 | |
| Sealy Technology LLC | MATTRESS WITH HORIZONTAL HANDLES | D659,459 | 5/15/12 | |
| Sealy Technology LLC | COIL | D652,235 | 1/17/12 | |
| Sealy Technology LLC | COIL | D652,234 | 1/17/12 | |
| Sealy Technology LLC | COIL | D651,828 | 1/10/12 | |
| Sealy Technology LLC | NON-PILLOWTOP MATTRESS | D649,385 | 11/29/11 | |
| Sealy Technology LLC | PILLOWTOP MATTRESS | D649,386 | 11/29/11 | |
| Sealy Technology LLC | PILLOWTOP MATTRESS WITH HORIZONTAL HANDLES | D649,387 | 11/29/11 | |
| Sealy Technology LLC | INTERNAL CORNER STRUCTURE FOR MATTRESS FOUNDATIONS | 8,020,224 | 9/20/2011 | |
| Sealy Technology LLC | MATTRESS FOUNDATION (Embody Visco – foundation w/side pocket) | D640,082 | 06/21/2011 | |
| Sealy Technology LLC | MATTRESS (Embody Visco – thin vertical wavy lines across center of mattress) | D634,574 | 3/22/2011 | |
| Sealy Technology LLC | COIL-IN-COIL SPRINGS AND INNERSPRINGS | 7,908,693 | 3/22/11 | |
| Sealy Technology LLC | MATTRESS AND FOUNDATION (Embody Visco – contrasting foundation and mattress color/material) | D634,148 | 3/15/11 | |
| Sealy Technology LLC | MATTRESS (Embody Latex – wide vertical wavy lines across center of mattress) | D633,322 | 03/01/11 | |

| <u>Owner</u> | <u>Title</u> | <u>Patent No.</u> | <u>Issued</u> | <u>Expiration</u> |
|----------------------|--|-------------------|---------------|-------------------|
| Sealy Technology LLC | PRESSURE DISPERSION SUPPORT SYSTEMS 7 Zone Pressure Relief Inlay | 7,845,035 | 12/7/10 | |
| Sealy Technology LLC | SUSPENDED FLEXIBLE MATRIX SUPPORT SYSTEM | 7,832,040 | 11/16/10 | |
| Sealy Technology LLC | FOAM SPRING AND INNERSPRING COMBINATION FOR MATTRESSES (UniCased XT) Edge System | 7,805,790 | 10/05/10 | |
| Sealy Technology LLC | PILLOW-TOP MATTRESS DESIGN (Contrasting tape edge along mattress border and handles) | D622,996 | 09/07/10 | |
| Sealy Technology LLC | MATTRESS FOUNDATION WITH PERIMETER STRUCTURE | 7,788,746 | 9/07/10 | |
| Sealy Technology LLC | EURO-TOP MATTRESS DESIGN | D622,531 | 8/31/10 | |
| Sealy Technology LLC | HIGH PROFILE CORNER SHIELD | D622,586 | 8/31/10 | |
| Sealy Technology LLC | MATTRESS DESIGN (Non-pillowtop, contrasting tape edge along mattress border and handles) | D622,088 | 8/24/10 | |
| Sealy Technology LLC | LOW PROFILE CORNER SHIELD | D622,137 | 8/24/10 | |
| Sealy Technology LLC | INNERSPRING COIL | D621,186 | 8/10/10 | |
| Sealy Technology LLC | FLEUR DI LIS MATTRESS PATTERN | D621,198 | 8/10/10 | |
| Sealy Technology LLC | PILLOWTOP MATTRESS WITH EXTENDED BORDER | D616,236 | 5/25/2010 | |
| Sealy Technology LLC | INNERSPRING DAMPENING INSERTS ("W" INSERTS) Posture Channels | 7,636,971 | 12/29/09 | |
| Sealy Technology LLC | INNERSPRING COILS AND INNERSPRINGS WITH NON-HELICAL SEGMENTS ("ONE-STEP") | 7,404,223 | 7/29/08 | |
| Sealy Technology LLC | FOAM ENCASED INNERSPRING WITH INTERNAL FOAM COMPONENTS TRIPL-CASE | 7,185,379 | 3/6/07 | |
| Sealy Technology LLC | ASYMMETRIC MATTRESS COMPONENTS - | 7,178,187 | 02/20/07 | |

| Owner | Title | Patent No. | Issued | Expiration |
|----------------------|---|------------|----------|------------|
| Sealy Technology LLC | ASYMMETRIC COIL DESIGNS MATTRESS AND BEDDING PACKAGE WITH FULL PERIMETER PROTECTION AND HANDLING PIECE | 7,147,106 | 12/12/06 | |
| Sealy Technology LLC | UNITIZED THERMOPLASTIC FOAM STRUCTURES UNICASED | 7,082,635 | 08/01/06 | |
| Sealy Technology LLC | APPARATUS FOR AUTOMATED MANUFACTURE OF WELDED FOAM | 6,877,540 | 04/12/05 | |
| Sealy Technology LLC | MATTRESS TOPPER DESIGNS | D488,661 | 4/20/04 | |
| Sealy Technology LLC | QUILT-STITCHED INTERNAL MATTRESS PILLOWS | 6,721,982 | 4/20/04 | |
| Sealy Technology LLC | SINGLE PIECE FOAM TOPPERS WITH PERIMETER AREAS HAVING VARIABLE SUPPORT AND FIRMNESS PROPERTIES | 6,701,557 | 3/9/04 | |
| Sealy Technology LLC | COIL AND COIL HEAD FORMATION DIES FOR COILS WITH NON-CONVENTIONAL TERMINAL CONVOLUTIONS | 6,640,836 | 11/04/03 | |
| Sealy Technology LLC | CONVEYANCE SYSTEM FOR INTERFACE WITH COMPONENT PRODUCTION AND ASSEMBLY EQUIPMENT | 6,688,457 | 2/10/04 | |
| Sealy Technology LLC | ELEVATED COMPOSITE MATERIAL SPRING MODULES | 6,729,610 | 5/4/04 | |
| Sealy Technology LLC | MODULAR SLEEP SYSTEMS WITH FRICTION-SECURED COMFORT UNIT | 6,715,173 | 4/6/2004 | |
| Sealy Technology LLC | MACHINERY FOR AUTOMATED MANUFACTURE OF FORMED WIRE INNERSPRING ASSEMBLIES | 6,155,310 | 12/5/00 | |
| Sealy Technology LLC | EXTRUDED FOAM REINFORCEMENT STRUCTURES FOR INNERSPRING ASSEMBLIES | 6,263,533 | 7/24/01 | |
| Sealy Technology LLC | AUTOMATED APPARATUS FOR MANUFACTURE OF MATTRESS BORDERS | 6,202,579 | 3/20/01 | |

| <u>Owner</u> | <u>Title</u> | <u>Patent No.</u> | <u>Issued</u> | <u>Expiration</u> |
|-------------------------|--|-------------------|---------------|-------------------|
| Sealy Technology LLC | WITH SEWN HANDLES FLEXIBLE SUPPORT STRUCTURES WITH COMPOSITE MATERIAL SPRING MODULES MOUNTED DIRECTLY ON FRAME MEMBERS AND RELATED ASSEMBLY EQUIPMENT AND METHODS | 6,406,009 | 6/18/02 | |
| Sealy Technology LLC | COMPOSITE MATERIAL SPRING MODULES WITH INTEGRALLY FORMED ATTACHMENT FITTINGS | 6,354,577 | 3/12/02 | |
| Sealy Technology LLC | INNERSPRING CONSTRUCTION WITH SPRINGS HAVING FREE TERMINAL CONVOLUTIONS | 5,713,088 | 2/3/98 | |
| Sealy Technology LLC | MATTRESS INNERSPRING | D409,024 | 5/4/99 | |
| Sealy Technology LLC | CURVE MOLDER PROTECTIVE AND DECORATIVE BEDDING FOUNDATION CORNER GUARD | 5,628,080 | 5/13/97 | |
| Sealy Technology LLC | INTERNAL MATTRESS WALL STRUCTURES INTERLOCKINGLY ENGAGEABLE WITH MATTRESS INNERSPRING ASSEMBLY | 5,787,532 | 8/4/98 | |
| Sealy Technology LLC | LOW PROFILE COMPOSITE MATERIAL BEDDING FOUNDATION SYSTEM AND METHODS OF MANUFACTURE | 5,720,471 | 2/24/98 | |
| Sealy Technology LLC | BORDER STABILIZING MEMBER AND METHOD FOR MAKING MATTRESSES, CUSHIONS AND THE LIKE USING SAME | 5,687,439 | 11/18/97 | |
| Sealy Technology LLC | STEEL SPAN FOR USE IN MATTRESS FOUNDATION FRAMES | 5,519,903 | 5/28/96 | |
| Sealy Technology LLC | BEDDING SYSTEM DISPLAY ASSEMBLY | 5,484,195 | 4/13/94 | |
| Sealy Technology LLC | SPACE-SAVING BEDDING SYSTEM DISPLAY DEVICE | 5,499,407 | 4/13/94 | |
| Sealy Technology LLC | MULTI-FOLD INTERLOCKABLE SPRING FOR USE IN MATTRESS FOUNDATION ASSEMBLIES | 5,558,315 | 8/25/94 | |
| Sealy Technology LLC | MATTRESS WITH QUILT MOTIF | D662752 | 07/03/2012 | |

| Owner | Title | Patent No. | Issued | Expiration |
|--|--|------------|------------|------------|
| Co-owned by Sealy Technology LLC and Vitec Group | EXTENDABLE LEGS FOR STANDS OR SIMILAR APPLIANCES | 6152638 | 11/28/2000 | |
| Sealy Technology LLC | MATTRESS INNERSPRING INSERTS AND SUPPORTS | 8230538 | 07/31/2012 | |
| Sealy Technology LLC | NON-PILLOWTOP JUMBO MATTRESS QUILT MOTIF | D666,449 | 9/4/12 | |
| Tempur-Pedic Management, LLC | Laminated Visco-Elastic Support [I] | 6,159,574 | 12/12/00 | 12/12/17 |
| Tempur-Pedic Management, LLC | Laminated Visco Elastic Support [II] | 6,541,094 | 04/01/03 | 11/01/20 |
| Tempur-Pedic Management, LLC | Laminated Visco Elastic Support [III] | 7,507,468 | 03/24/09 | 03/31/23 |
| Tempur-Pedic Management, LLC | Laminated Visco Elastic Support [IV] | 8,025,964 | 09/27/11 | 12/07/24 |
| Tempur-Pedic Management, LLC | Cushion | 6,602,579 | 08/05/03 | 01/10/21 |
| Tempur-Pedic Management, LLC | Cushion | 6,866,915 | 03/15/05 | 03/05/23 |
| Tempur-Pedic Management, LLC | Leg Spacer Pillow | 6,578,218 | 06/17/03 | 12/07/21 |
| Tempur-Pedic Management, LLC | Product Demonstration System and Method for Using the Same | 7,555,615 | 06/30/09 | 07/10/23 |
| Tempur-Pedic Management, LLC | Contoured Head Pillow | D456,660 | 05/07/02 | 08/01/21 |
| Tempur-Pedic Management, LLC | Comfort Pillow | 7,051,389 | 05/30/06 | 03/10/24 |
| Tempur-Pedic Management, LLC | Comfort Pillow [II] | 7,415,742 | 08/26/08 | 05/30/26 |
| Tempur-Pedic Management, LLC | Comfort Pillow [III] | 7,735,169 | 06/15/10 | 08/26/28 |
| Tempur-Pedic Management, LLC | Pillow Top For a Cushion ("Celebrity") | 7,155,765 | 01/02/07 | 10/14/23 |
| Tempur-Pedic Management, LLC | Pillow Top For a Cushion ("Celebrity") | 7,444,702 | 11/04/08 | 12/21/26 |
| Tempur-Pedic Management, LLC | Pillow Top For a Cushion ("Celebrity") | 7,707,670 | 05/04/10 | 10/30/28 |
| Tempur-Pedic Management, LLC | Reticulated Material Body Support and Method | 7,469,437 | 12/30/08 | 06/24/25 |
| Tempur-Pedic Management, LLC | Pillow | D529,325 | 10/03/06 | 10/03/20 |
| Tempur-Pedic Management, LLC | Pillow | D558,499 | 01/01/08 | 01/01/22 |
| Tempur-Pedic Management, LLC | Pillow | 7,082,633 | 08/01/06 | 02/04/25 |
| Tempur-Pedic Management, LLC | Laminated Visco Elastic Support [VI] | 8,034,445 | 10/11/11 | 05/29/29 |
| Tempur-Pedic Management, LLC | Product Demonstration System and Method for Using the Same | 7,979,374 | 07/12/11 | 06/30/29 |

PATENT AND DESIGN PATENT APPLICATIONS

| Owner | Title | Serial No. | Date |
|----------------------|---|-------------------|-------------|
| Sealy Technology LLC | LOW PROFILE COMPOSITE MATERIAL BEDDING FOUNDATION SYSTEM AND METHODS OF MANUFACTURE | PCT/US96/08799 | 6/5/96 |
| Sealy Technology LLC | INTERNAL MATTRESS WALL STRUCTURES INTERLOCKINGLY ENGAGEABLE WITH MATTRESS INNERSPRING ASSEMBLY | PCT/US97/17689 | 9/30/97 |
| Sealy Technology LLC | COMPOSITE MATERIAL SPRING MODULES WITH INTEGRALLY FORMED ATTACHMENT FITTINGS | PCT/US98/07731 | 4/16/98 |
| Sealy Technology LLC | CAVITED PAD AND INNERSPRING ASSEMBLY HAVING SPRINGS WITH FREE TERMINAL CONVOLUTIONS | PCT/US99/15459 | 7/9/99 |
| Sealy Technology LLC | MACHINERY FOR AUTOMATED MANUFACTURE OF FORMED WIRE INNERSPRING ASSEMBLIES | PCT/US99/19746 | 8/31/99 |
| Sealy Technology LLC | COIL AND COIL HEAD FORMATION DIES FOR COILS WITH NON-CONVENTIONAL TERMINAL CONVOLUTIONS | PCT/US01/51610 | 11/13/01 |
| Sealy Technology LLC | FLEXIBLE SUPPORT STRUCTURES WITH COMPOSITE MATERIAL SPRING MODULES MOUNTED DIRECTLY ON FRAME MEMBERS AND RELATED ASSEMBLY EQUIPMENT AND METHODS | PCT/US01/41244 | 7/3/01 |
| Sealy Technology LLC | AUTOMATED APPARATUS FOR MANUFACTURE OF MATTRESS BORDERS WITH SEWN HANDLES | PCT/US01/00233 | 1/04/01 |
| Sealy Technology | EXTRUDED FOAM | PCT/US01/11533 | 4/10/01 |

| Owner | Title | Serial No. | Date |
|----------------------|--|----------------|-----------------|
| LLC | REINFORCEMENT STRUCTURES FOR INNERSPRING ASSEMBLIES AND MATTRESSES | | |
| Sealy Technology LLC | CONVEYANCE SYSTEM FOR INTERFACE WITH COMPONENT PRODUCTION AND ASSEMBLY EQUIPMENT | PCT/US02/29720 | 9/19/02 |
| Sealy Technology LLC | PILLOWTOP/PANEL ATTACHMENT GUSSETT WITH RUFFLED CORNERS | PCT/US02/31058 | 9/30/02 |
| Sealy Technology LLC | SINGLE PIECE FOAM TOPPERS WITH PERIMETER AREAS HAVING VARIABLE SUPPORT AND FIRMNESS PROPERTIES | PCT/US02/33847 | 10/23/02 |
| Sealy Technology LLC | QUILT-STITCHED INTERNAL MATTRESS PILLOWS | PCT/US03/00465 | 1/08/03 |
| Sealy Technology LLC | ELEVATED COMPOSITE MATERIAL SPRING MODULES | PCT/US03/00670 | 1/09/03 |
| Sealy Technology LLC | UNITIZED THERMOPLASTIC FOAM STRUCTURES | PCT/US04/05141 | 2/19/04 |
| Sealy Technology LLC | FOAM ENCASED INNERSPRING WITH INTERNAL FOAM COMPONENTS | PCT/US04/29178 | 09/08/04 |
| Sealy Technology LLC | APPARATUS FOR AUTOMATED MANUFACTURE OF WELDED FOAM | PCT/US05/06957 | 03/03/05 |
| Sealy Technology LLC | SUSPENDED FLEXIBLE MATRIX SUPPORT SYSTEM | PCT/US08/51849 | 1/24/08 |
| Sealy Technology LLC | INNERSPRING COILS AND INNERSPRINGS WITH NON-HELICAL SEGMENTS | PCT/US08/02146 | 02/19/08 |
| Sealy Technology LLC | FOAM SPRINGS AND INNERSPRING COMBINATIONS FOR MATTRESSES | PCT/US09/31392 | 01/19/09- Filed |
| Sealy Technology LLC | INNERSPRING DAMPENING INSERTS | PCT/US09/31197 | 01/16/09- Filed |

| Owner | Title | Serial No. | Date |
|----------------------|---|----------------|----------|
| Sealy Technology LLC | VARIABLE COIL DENSITY ANISOTROPIC INNERSPRINGS | PCT/US09/32812 | 2/2/09 |
| Sealy Technology LLC | COIL-IN-COIL SPRINGS AND INNERSPRINGS | PCT/US10/31041 | 04/14/10 |
| Sealy Technology LLC | ONE PIECE FOAM MATTRESS CORE ENCASEMENT | PCT/US11/49336 | 8/26/11 |
| Sealy Technology LLC | PRESSURE DISPERSION SUPPORT SYSTEMS | PCT/US11/50940 | 9/9/11 |
| Sealy Technology LLC | MATTRESS INNERSPRING INSERTS AND SUPPORTS | PCT/US11/62329 | 11/29/11 |
| Sealy Technology LLC | MATTRESSES WITH REINFORCEMENT INSERTS AND DENSIFIED STITCH ZONES | PCT/US12/20291 | 1/5/12 |
| Sealy Technology LLC | GRIPPER FOUNDATION | PCT/US12/20288 | 1/5/12 |
| Sealy Technology LLC | MATTRESS WITH EXTENDED LENGTH HANDLES | PCT/US11/66381 | 12/21/11 |
| Sealy Technology LLC | MATTRESS CONSTRUCTIONS WITH DENSIFIED FIBER COMPONENTS | PCT/US12/21029 | 1/12/12 |
| Sealy Technology LLC | REVERSE COIL HEAD COILS AND INNERSPRINGS | PCT/US12/21414 | 1/16/12 |
| Sealy Technology LLC | ENCASED HOURGLASS COILS AND MATTRESS CORES | PCT/US12/21681 | 1/18/12 |
| Sealy Technology LLC | MULTI-LAYER MULTI-MATERIAL FOAM MATTRESSES | PCT/US12/33941 | 4/17/12 |
| Sealy Technology LLC | TENSION RELIEF FOAM AND MATTRESS CONSTRUCTIONS | PCT/US12/37766 | 5/14/12 |
| Sealy Technology LLC | ADVANCED CONFORMANCE ENCASED COIL SPRING UNITS | PCT/US12/37749 | 5/14/12 |
| Sealy Technology LLC | LOW SHEAR MATTRESS TOPPER CONSTRUCTIONS | PCT/US12/37720 | 5/14/12 |
| Sealy Technology LLC | ENCASED HOURGLASS COILS AND MATTRESS CORES | 13/578,750 | 08/14/12 |
| Sealy Technology LLC | AIR FLOW MATTRESS CONSTRUCTIONS AND VARIABLE DENSITY MATTRESS CORES | 61/678,145 | 08/01/12 |

| <u>Owner</u> | <u>Title</u> | <u>Serial No.</u> | <u>Date</u> |
|--|--|-------------------|-------------|
| Sealy Technology LLC | MATTRESS W/ HEATING & COOLING SOURCE AND GEL INSERT | 61/677,504 | 07/31/12 |
| Sealy Technology LLC | LOW SHEAR MATTRESS TOPPER CONSTRUCTION | 13/470,607 | 05/14/12 |
| Sealy Technology LLC | TENSION RELIEF FOAM | 13/470,903 | 05/14/12 |
| Sealy Technology LLC | ADVANCED CONFORMANCE ENCASED COIL UNITS | 13/470,767 | 05/14/12 |
| Sealy Technology LLC | MATTRESS PACKAGE | 13/357,865 | 1/25/12 |
| Sealy Technology LLC | ENGINEERED FOAMS AND FOAM MATTRESS CONSTRUCTIONS | 61/590,505 | 1/25/12 |
| Sealy Technology LLC (co-owned with Nomaco Inc.) | ONE PIECE FOAM MATTRESS CORE ENCASEMENT | 13/167,061 | 06/23/11 |
| Sealy Technology LLC | MULTI-LAYER MULTI- MATERIAL FOAM MATTRESSES | 13/089,668 | 4/19/11 |
| Sealy Technology LLC | REVERSE COIL HEAD COILS AND INNERSPRINGS | 13/010,525 | 1/20/11 |
| Sealy Technology LLC | MATTRESS CONSTRUCTIONS WITH DENSIFIED FIBER COMPONENTS | 13/006,804 | 1/14/11 |
| Sealy Technology LLC | GRIPPER FOUNDATION | 12/985,431 | 1/6/11 |
| Sealy Technology LLC | MATTRESSES WITH REINFORCEMENT INSERTS AND DENSIFIED STITCH ZONES | 12/985,415 | 1/6/11 |
| Sealy Technology LLC | MATTRESS WITH EXTENDED LENGTH HANDLES | 12/975,706 | 12/22/10 |
| Sealy Technology LLC | PRESSURE DISPERSION SUPPORT SYSTEMS 7 Zone Pressure Relief Inlay | 12/878,217 | 09/09/10 |
| Sealy Technology LLC | MATTRESS (Silver Dream - vertical stitching and coordinating tape along mattress border and handles) | 29/367727 | 8/12/10 |
| Sealy Technology LLC | MATTRESS WITH COORDINATING TAPE EDGE AND HANDLES (Traditional - solid color handles) | 29/367728 | 8/12/10 |
| Sealy Technology LLC | PILLOWTOP MATTRESS WITH COORDINATING TAPE EDGE AND HANDLES (Traditional - solid color handles) | 29/367729 | 8/12/10 |
| Sealy Technology | EURO-TOP MATTRESS | 29/367,731 | 8/12/10 |

| Owner | Title | Serial No. | Date |
|------------------------------|---|------------|----------|
| LLC | WITH COORDINATING TAPE EDGE AND HANDLES (Traditional – solid color handles) | | |
| Sealy Technology LLC | VISUAL REFERENCE UPHOLSTERY AND COMPONENT SCHEMES FOR MATTRESSES AND SLEEP SETS | 12/635,263 | 12/10/09 |
| Sealy Technology LLC | MATTRESS ASSEMBLY WITH CONVERTIBLE TOPPER | 12/607,315 | 10/28/09 |
| Sealy Technology LLC | VARIABLE COIL DENSITY ANISOTROPIC INNERSPRINGS | 12/025,888 | 2/5/08 |
| Sealy Technology LLC | MULTI-LAYER MULTI-MATERIAL FOAM MATTRESSES | 13/089,668 | 4/19/11 |
| Sealy Technology LLC | REVERSE COIL HEAD COILS AND INNERSPRINGS | 13/010,525 | 1/20/11 |
| Sealy Technology LLC | MATTRESS CONSTRUCTIONS WITH DENSIFIED FIBER COMPONENTS | 13/006,804 | 1/14/11 |
| Sealy Technology LLC | GRIPPER FOUNDATION | 12/985,431 | 1/6/11 |
| Sealy Technology LLC | MATTRESSES WITH REINFORCEMENT INSERTS AND DENSIFIED STITCH ZONES | 12/985,415 | 1/6/11 |
| Sealy Technology LLC | MATTRESS WITH EXTENDED LENGTH HANDLES | 12/975,706 | 12/22/10 |
| Sealy Technology LLC | PRESSURE DISPERSION SUPPORT SYSTEMS 7 Zone Pressure Relief Inlay | 12/878,217 | 09/09/10 |
| Sealy Technology LLC | MATTRESS DESIGNS | 29/435,423 | 10/24/12 |
| Sealy Technology LLC | MATTRESS DESIGNS | 29/435,420 | 10/24/12 |
| Sealy Technology LLC | MATTRESS DESIGNS | 29/434,447 | 10/12/12 |
| Sealy Technology LLC | MATTRESS DESIGNS | 29/434,444 | 10/12/12 |
| Sealy Technology LLC | MATTRESS DESIGNS | 29/434,441 | 10/12/12 |
| Tempur-Pedic Management, LLC | Laminated Visco-Elastic Support | 95/000,494 | 10/21/09 |
| Tempur-Pedic Management, LLC | Cushion | 11/080,739 | 03/15/05 |
| Tempur-Pedic Management, LLC | Therapeutic Mattress Assembly | 10/415,629 | 05/01/03 |

| Owner | Title | Serial No. | Date |
|------------------------------|--|-------------------|-------------|
| Tempur-Pedic Management, LLC | Interactive Bed Display | 10/268,202 | 10/10/02 |
| Tempur-Pedic Management, LLC | Reticulated Material Body Support and Method | 12/346,640 | 12/30/08 |
| Tempur-Pedic Management, LLC | Inflatable Mattress and Method of Operating the Same | 13/000,205 | 03/25/11 |
| Tempur-Pedic Management, LLC | Adjustable-Firmness Body Support and Method | 13/141,558 | 08/17/11 |
| Tempur-Pedic Management, LLC | Adjustable-Firmness Body Support and Method | 13/141,799 | 06/23/11 |
| Tempur-Pedic Management, LLC | Visco-Elastic Body Support and Method of Manufacturing the Same | 13/142,067 | 08/17/11 |
| Tempur-Pedic Management, LLC | Inter-Layer Gelatinous Body Support Adhesive and Method of Manufacturing a Body Support Using the Same | 13/141,794 | 06/23/11 |
| Tempur-Pedic Management, LLC | Body Support with Fluid System and Method of Operating Same | 13/141,542 | 08/17/11 |
| Tempur-Pedic Management, LLC | Thin-Layered Alternating Material Body Support and Method of Manufacturing Same | 13/141,386 | 06/22/2011 |
| Tempur-Pedic Management, LLC | Mattress Retention Bracket Assembly and Method | 13/189,792 | 07/25/11 |
| Tempur-Pedic Management, LLC | Pillow | 29/428,519 | 07/31/12 |
| Tempur-Pedic Management, LLC | Pillow | 29/428,499 | 07/31/12 |
| Tempur-Pedic Management, LLC | Pillow | 29/428,516 | 07/31/12 |
| Tempur-Pedic Management, LLC | Pillow | 29/428,524 | 07/31/12 |
| Tempur-Pedic Management, LLC | Mattress | 29/432,969 | 09/19/12 |
| Tempur-Pedic Management, LLC | Massage Cushion Assemblies | PCT/US2012/071991 | 12/28/2012 |
| Tempur-Pedic Management, LLC | Bed with Mattress Assembly Having One or More Internal Plates | PCT/US2012/072022 | 12/28/2012 |
| Tempur-Pedic Management, LLC | Climate Controlled Mattress Assembly and Related | PCT/US2012/071975 | 12/28/2012 |

| Owner | Title | Serial No. | Date |
|------------------------------|------------------------------|-------------------|-------------|
| | Methods | | |
| Tempur-Pedic Management, LLC | Foam Block Mattress Assembly | PCT/US2012/072034 | 12/28/2012 |
| Tempur-Pedic Management, LLC | Enhanced Mobility Mattress | PCT/US2012/072000 | 12/28/2012 |
| Tempur-Pedic Management, LLC | Mattress Assembly | PCT/US2012/071962 | 12/28/2012 |
| Tempur-Pedic Management, LLC | Travel Cushion | PCT/US2012/071957 | 12/28/2012 |
| Tempur-Pedic Management, LLC | Mattress Assembly | PCT/US2012/071981 | 12/28/2012 |
| Tempur-Pedic Management, LLC | Pillow | 29/443,248 | 01/15/2013 |
| Tempur-Pedic Management, LLC | Pillow | 29/443,245 | 01/15/2013 |
| Tempur-Pedic Management, LLC | Mattress Assembly | 61/757,280 | 01/28/2013 |



PATENT SECURITY AGREEMENT

THIS PATENT SECURITY AGREEMENT, dated as of March 18, 2013 (as it may be amended, restated, supplemented or otherwise modified or replaced from time to time, the "**Patent Security Agreement**") is made by the Persons (as hereinafter defined) listed on the signature pages hereof (the "**Grantors**") in favor of Bank of America, N.A. as Collateral Agent (in such capacity, together with any successor collateral agent appointed pursuant to Article 10 of the Credit Agreement or otherwise, the "**Collateral Agent**") for the ratable benefit of the holders of the Secured Obligations (as hereinafter defined).

WHEREAS, the Grantors own, or in the case of licenses, are a party to, the Patent Collateral (as defined below);

WHEREAS, Tempur-Pedic International Inc. (the "**Parent**"), Tempur-Pedic Management, LLC (the "**Lead Borrower**"), Tempur-Pedic North America, LLC and Tempur Production USA, LLC, each as a Borrower, the Guarantors (as defined therein), the Lenders (as defined therein) and Bank of America, N.A., as Administrative Agent, Swingline Lender and L/C Issuer, are parties to a Credit Agreement dated as of December 12, 2012 (as it may be amended, restated, supplemented or otherwise modified, refinanced or replaced from time to time, the "**Credit Agreement**");

WHEREAS, the Grantors and the Collateral Agent are parties to a Security Agreement dated as of March 18, 2013 (as it may be amended, restated, supplemented or otherwise modified or replaced from time to time, the "**Security Agreement**") to, among other things, secure the obligations of the Grantors under the Credit Agreement; and

WHEREAS, pursuant to the Security Agreement, each Grantor has granted a security interest in certain property, including, without limitation, certain Intellectual Property (as such term is defined in the Security Agreement) of the Grantor to the Collateral Agent for the ratable benefit of the holders of the Secured Obligations, and has agreed as a condition thereof to execute this Patent Security Agreement for recording with the United States Patent and Trademark Office (the "**USPTO**").

NOW, THEREFORE, for good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, each Grantor agrees as follows:

SECTION 1. Defined Terms. All capitalized terms used but not otherwise defined herein shall have the meanings given to them in the Security Agreement.

SECTION 2. Grant of Security. To secure the prompt payment and performance in full when due, whether by lapse of time, acceleration, mandatory prepayment or otherwise, of the Secured Obligations, each Grantor hereby grants to the Collateral Agent, for the ratable benefit of the holders of the Secured Obligations, a continuing security interest in, any and all right, title and interest of such Grantor in, to and under all of each Grantor's Patents referred to on Schedule 1 hereto, including all claims for, and rights to sue for, past or future infringements of any of the foregoing and all income, royalties, damages and payments now or hereafter due or payable with respect to any of the foregoing, including damages and payments for past or future infringements thereof (all of the foregoing items or types of property being herein collectively referred to as the "Patent Collateral").

SECTION 3. Recordation. This Patent Security Agreement has been executed and delivered by each Grantor for the purpose of, among other things, recording the grant of security interest herein with the USPTO. Each Grantor authorizes and requests that the Commissioner of Patents and any other applicable government officer record this Patent Security Agreement.

SECTION 4. Relationship to Security Agreement. The foregoing security interest is granted in conjunction with the security interests granted by each Grantor to the Collateral Agent pursuant to the Security Agreement. Each Grantor acknowledges and affirms that the rights and remedies of the Collateral Agent with respect to the security interest in the Patent Collateral granted hereby are more fully set forth in the Security Agreement, the terms and provisions of which are incorporated by reference herein as if fully set forth herein.

SECTION 5. Miscellaneous. This Patent Security Agreement may be executed in any number of counterparts, each of which were so executed and delivered shall be an original, but all of which shall constitute one and the same instrument. It shall not be necessary in making proof of this Patent Security Agreement to produce or account for more than one such counterpart. This Patent Security Agreement and any claim, controversy or dispute arising under or related to this Patent Security Agreement (including, without limitation, any claims sounding in contract law or tort law arising out of the subject matter hereof) shall be governed by, and construed in accordance with, the law of the State of New York.

[Signature Page Follows]

IN WITNESS WHEREOF, each Grantor has caused this Patent Security Agreement to be duly executed by its officer thereunto duly authorized as of the 18th day of March, 2013.

TEMPUR-PEDIC MANAGEMENT, LLC, a
Delaware limited liability company

By: William H. Poche
Name: William H. Poche
Title: Treasurer and Assistant
Secretary

SEALY TECHNOLOGY LLC, a North
Carolina limited liability company

By: _____
Name: Dale E. Williams
Title: Executive Vice President and
Chief Financial Officer

[Signature Page to Patent Security Agreement]

PATENT
REEL: 030165 FRAME: 0279

IN WITNESS WHEREOF, each Grantor has caused this Patent Security Agreement to be duly executed by its officer thereunto duly authorized as of the 18th day of March, 2013.

TEMPUR-PEDIC MANAGEMENT, LLC, a
Delaware limited liability company

By: _____

Name: William H. Poche
Title: Treasurer and Assistant
Secretary

SEALY TECHNOLOGY LLC, a North
Carolina limited liability company


By: _____

Name: Dale E. Williams
Title: Executive Vice President and
Chief Financial Officer

[Signature Page to Patent Security Agreement]

Acknowledged:

BANK OF AMERICA, N.A.,
as Collateral Agent

By: 
Name: Laura Call
Title: Assistant Vice President

[*Signature Page to Patent Security Agreement*]

PATENT
REEL: 030165 FRAME: 0281



**Schedule 1
to Patent
Security Agreement**

PATENTS AND DESIGN PATENTS

| <u>Owner</u> | <u>Title</u> | <u>Patent No.</u> | <u>Issued</u> | <u>Expiration</u> |
|----------------------|---|-------------------|---------------|-------------------|
| Sealy Technology LLC | MATTRESS QUILT MOTIF | D666,448 | 9/4/12 | |
| Sealy Technology LLC | MATTRESS QUILT MOTIF | D662,751 | 7/3/12 | |
| Sealy Technology LLC | EURO TOP MATTRESS FOUNDATION | D663,152 | 7/10/12 | |
| Sealy Technology LLC | PILLOW TOP MATTRESS FOUNDATION | D662,753 | 7/3/12 | |
| Sealy Technology LLC | TIGHT TOP MATTRESS FOUNDATION | D662,754 | 7/3/12 | |
| Sealy Technology LLC | MATTRESS WITH HORIZONTAL HANDLES | D659,459 | 5/15/12 | |
| Sealy Technology LLC | COIL | D652,235 | 1/17/12 | |
| Sealy Technology LLC | COIL | D652,234 | 1/17/12 | |
| Sealy Technology LLC | COIL | D651,828 | 1/10/12 | |
| Sealy Technology LLC | NON-PILLOWTOP MATTRESS | D649,385 | 11/29/11 | |
| Sealy Technology LLC | PILLOWTOP MATTRESS | D649,386 | 11/29/11 | |
| Sealy Technology LLC | PILLOWTOP MATTRESS WITH HORIZONTAL HANDLES | D649,387 | 11/29/11 | |
| Sealy Technology LLC | INTERNAL CORNER STRUCTURE FOR MATTRESS FOUNDATIONS | 8,020,224 | 9/20/2011 | |
| Sealy Technology LLC | MATTRESS FOUNDATION (Embody Visco – foundation w/side pocket) | D640,082 | 06/21/2011 | |
| Sealy Technology LLC | MATTRESS (Embody Visco – thin vertical wavy lines across center of mattress) | D634,574 | 3/22/2011 | |
| Sealy Technology LLC | COIL-IN-COIL SPRINGS AND INNERSPRINGS | 7,908,693 | 3/22/11 | |
| Sealy Technology LLC | MATTRESS AND FOUNDATION (Embody Visco – contrasting foundation and mattress color/material) | D634,148 | 3/15/11 | |
| Sealy Technology LLC | MATTRESS (Embody Latex – wide vertical wavy lines across center of mattress) | D633,322 | 03/01/11 | |

| <u>Owner</u> | <u>Title</u> | <u>Patent No.</u> | <u>Issued</u> | <u>Expiration</u> |
|----------------------|---|-------------------|---------------|-------------------|
| Sealy Technology LLC | PRESSURE DISPERSION SUPPORT SYSTEMS 7 Zone Pressure Relief Inlay | 7,845,035 | 12/7/10 | |
| Sealy Technology LLC | SUSPENDED FLEXIBLE MATRIX SUPPORT SYSTEM | 7,832,040 | 11/16/10 | |
| Sealy Technology LLC | FOAM SPRING AND INNERSPRING COMBINATION FOR MATTRESSES (UniCased XT) Edge System | 7,805,790 | 10/05/10 | |
| Sealy Technology LLC | PILLOW-TOP MATTRESS DESIGN (Contrasting tape edge along mattress border and handles) | D622,996 | 09/07/10 | |
| Sealy Technology LLC | MATTRESS FOUNDATION WITH PERIMETER STRUCTURE | 7,788,746 | 9/07/10 | |
| Sealy Technology LLC | EURO-TOP MATTRESS DESIGN | D622,531 | 8/31/10 | |
| Sealy Technology LLC | HIGH PROFILE CORNER SHIELD | D622,586 | 8/31/10 | |
| Sealy Technology LLC | MATTRESS DESIGN (Non-pillowtop, contrasting tape edge along mattress border and handles) | D622,088 | 8/24/10 | |
| Sealy Technology LLC | LOW PROFILE CORNER SHIELD | D622,137 | 8/24/10 | |
| Sealy Technology LLC | INNERSPRING COIL | D621,186 | 8/10/10 | |
| Sealy Technology LLC | FLEUR DI LIS MATTRESS PATTERN | D621,198 | 8/10/10 | |
| Sealy Technology LLC | PILLOWTOP MATTRESS WITH EXTENDED BORDER | D616,236 | 5/25/2010 | |
| Sealy Technology LLC | INNERSPRING DAMPENING INSERTS ("W" INSERTS) Posture Channels | 7,636,971 | 12/29/09 | |
| Sealy Technology LLC | INNERSPRING COILS AND INNERSPRINGS WITH NON-HELICAL SEGMENTS ("ONE-STEP") | 7,404,223 | 7/29/08 | |
| Sealy Technology LLC | FOAM ENCASED INNERSPRING WITH INTERNAL FOAM COMPONENTS TRIPL-CASE | 7,185,379 | 3/6/07 | |
| Sealy Technology LLC | ASYMMETRIC MATTRESS COMPONENTS - | 7,178,187 | 02/20/07 | |

| <u>Owner</u> | <u>Title</u> | <u>Patent No.</u> | <u>Issued</u> | <u>Expiration</u> |
|----------------------|---|-------------------|---------------|-------------------|
| Sealy Technology LLC | ASYMMETRIC COIL DESIGNS MATTRESS AND BEDDING PACKAGE WITH FULL PERIMETER PROTECTION AND HANDLING PIECE | 7,147,106 | 12/12/06 | |
| Sealy Technology LLC | UNITIZED THERMOPLASTIC FOAM STRUCTURES UNI-CASED | 7,082,635 | 08/01/06 | |
| Sealy Technology LLC | APPARATUS FOR AUTOMATED MANUFACTURE OF WELDED FOAM | 6,877,540 | 04/12/05 | |
| Sealy Technology LLC | MATTRESS TOPPER DESIGNS | D488,661 | 4/20/04 | |
| Sealy Technology LLC | QUILT-STITCHED INTERNAL MATTRESS PILLOWS | 6,721,982 | 4/20/04 | |
| Sealy Technology LLC | SINGLE PIECE FOAM TOPPERS WITH PERIMETER AREAS HAVING VARIABLE SUPPORT AND FIRMNESS PROPERTIES | 6,701,557 | 3/9/04 | |
| Sealy Technology LLC | COIL AND COIL HEAD FORMATION DIES FOR COILS WITH NON-CONVENTIONAL TERMINAL CONVOLUTIONS | 6,640,836 | 11/04/03 | |
| Sealy Technology LLC | CONVEYANCE SYSTEM FOR INTERFACE WITH COMPONENT PRODUCTION AND ASSEMBLY EQUIPMENT | 6,688,457 | 2/10/04 | |
| Sealy Technology LLC | ELEVATED COMPOSITE MATERIAL SPRING MODULES | 6,729,610 | 5/4/04 | |
| Sealy Technology LLC | MODULAR SLEEP SYSTEMS WITH FRICTION-SECURED COMFORT UNIT | 6,715,173 | 4/6/2004 | |
| Sealy Technology LLC | MACHINERY FOR AUTOMATED MANUFACTURE OF FORMED WIRE INNERSPRING ASSEMBLIES | 6,155,310 | 12/5/00 | |
| Sealy Technology LLC | EXTRUDED FOAM REINFORCEMENT STRUCTURES FOR INNERSPRING ASSEMBLIES | 6,263,533 | 7/24/01 | |
| Sealy Technology LLC | AUTOMATED APPARATUS FOR MANUFACTURE OF MATTRESS BORDERS | 6,202,579 | 3/20/01 | |

| Owner | Title | Patent No. | Issued | Expiration |
|----------------------|---|------------|------------|------------|
| Sealy Technology LLC | WITH SEWN HANDLES FLEXIBLE SUPPORT STRUCTURES WITH COMPOSITE MATERIAL SPRING MODULES MOUNTED DIRECTLY ON FRAME MEMBERS AND RELATED ASSEMBLY EQUIPMENT AND METHODS | 6,406,009 | 6/18/02 | |
| Sealy Technology LLC | COMPOSITE MATERIAL SPRING MODULES WITH INTEGRALLY FORMED ATTACHMENT FITTINGS | 6,354,577 | 3/12/02 | |
| Sealy Technology LLC | INNERSPRING CONSTRUCTION WITH SPRINGS HAVING FREE TERMINAL CONVOLUTIONS | 5,713,088 | 2/3/98 | |
| Sealy Technology LLC | MATTRESS INNERSPRING | D409,024 | 5/4/99 | |
| Sealy Technology LLC | CURVE MOLDER PROTECTIVE AND DECORATIVE BEDDING FOUNDATION CORNER GUARD | 5,628,080 | 5/13/97 | |
| Sealy Technology LLC | INTERNAL MATTRESS WALL STRUCTURES INTERLOCKINGLY ENGAGEABLE WITH MATTRESS INNERSPRING ASSEMBLY | 5,787,532 | 8/4/98 | |
| Sealy Technology LLC | LOW PROFILE COMPOSITE MATERIAL BEDDING FOUNDATION SYSTEM AND METHODS OF MANUFACTURE | 5,720,471 | 2/24/98 | |
| Sealy Technology LLC | BORDER STABILIZING MEMBER AND METHOD FOR MAKING MATTRESSES, CUSHIONS AND THE LIKE USING SAME | 5,687,439 | 11/18/97 | |
| Sealy Technology LLC | STEEL SPAN FOR USE IN MATTRESS FOUNDATION FRAMES | 5,519,903 | 5/28/96 | |
| Sealy Technology LLC | BEDDING SYSTEM DISPLAY ASSEMBLY | 5,484,195 | 4/13/94 | |
| Sealy Technology LLC | SPACE-SAVING BEDDING SYSTEM DISPLAY DEVICE | 5,499,407 | 4/13/94 | |
| Sealy Technology LLC | MULTI-FOLD INTERLOCKABLE SPRING FOR USE IN MATTRESS FOUNDATION ASSEMBLIES | 5,558,315 | 8/25/94 | |
| Sealy Technology LLC | MATTRESS WITH QUILT MOTIF | D662752 | 07/03/2012 | |

| Owner | Title | Patent No. | Issued | Expiration |
|--|--|------------|------------|------------|
| Co-owned by Sealy Technology LLC and Vitec Group | EXTENDABLE LEGS FOR STANDS OR SIMILAR APPLIANCES | 6152638 | 11/28/2000 | |
| Sealy Technology LLC | MATTRESS INNERSPRING INSERTS AND SUPPORTS | 8230538 | 07/31/2012 | |
| Sealy Technology LLC | NON-PILLOWTOP JUMBO MATTRESS QUILT MOTIF | D666,449 | 9/4/12 | |
| Tempur-Pedic Management, LLC | Laminated Visco-Elastic Support [I] | 6,159,574 | 12/12/00 | 12/12/17 |
| Tempur-Pedic Management, LLC | Laminated Visco Elastic Support [II] | 6,541,094 | 04/01/03 | 11/01/20 |
| Tempur-Pedic Management, LLC | Laminated Visco Elastic Support [III] | 7,507,468 | 03/24/09 | 03/31/23 |
| Tempur-Pedic Management, LLC | Laminated Visco Elastic Support [IV] | 8,025,964 | 09/27/11 | 12/07/24 |
| Tempur-Pedic Management, LLC | Cushion | 6,602,579 | 08/05/03 | 01/10/21 |
| Tempur-Pedic Management, LLC | Cushion | 6,866,915 | 03/15/05 | 03/05/23 |
| Tempur-Pedic Management, LLC | Leg Spacer Pillow | 6,578,218 | 06/17/03 | 12/07/21 |
| Tempur-Pedic Management, LLC | Product Demonstration System and Method for Using the Same | 7,555,615 | 06/30/09 | 07/10/23 |
| Tempur-Pedic Management, LLC | Contoured Head Pillow | D456,660 | 05/07/02 | 08/01/21 |
| Tempur-Pedic Management, LLC | Comfort Pillow | 7,051,389 | 05/30/06 | 03/10/24 |
| Tempur-Pedic Management, LLC | Comfort Pillow [II] | 7,415,742 | 08/26/08 | 05/30/26 |
| Tempur-Pedic Management, LLC | Comfort Pillow [III] | 7,735,169 | 06/15/10 | 08/26/28 |
| Tempur-Pedic Management, LLC | Pillow Top For a Cushion ("Celebrity") | 7,155,765 | 01/02/07 | 10/14/23 |
| Tempur-Pedic Management, LLC | Pillow Top For a Cushion ("Celebrity") | 7,444,702 | 11/04/08 | 12/21/26 |
| Tempur-Pedic Management, LLC | Pillow Top For a Cushion ("Celebrity") | 7,707,670 | 05/04/10 | 10/30/28 |
| Tempur-Pedic Management, LLC | Reticulated Material Body Support and Method | 7,469,437 | 12/30/08 | 06/24/25 |
| Tempur-Pedic Management, LLC | Pillow | D529,325 | 10/03/06 | 10/03/20 |
| Tempur-Pedic Management, LLC | Pillow | D558,499 | 01/01/08 | 01/01/22 |
| Tempur-Pedic Management, LLC | Pillow | 7,082,633 | 08/01/06 | 02/04/25 |
| Tempur-Pedic Management, LLC | Laminated Visco Elastic Support [VI] | 8,034,445 | 10/11/11 | 05/29/29 |
| Tempur-Pedic Management, LLC | Product Demonstration System and Method for Using the Same | 7,979,374 | 07/12/11 | 06/30/29 |

PATENT AND DESIGN PATENT APPLICATIONS

| Owner | Title | Serial No. | Date |
|-------------------------|---|-------------------|-------------|
| Sealy Technology LLC | LOW PROFILE COMPOSITE MATERIAL BEDDING FOUNDATION SYSTEM AND METHODS OF MANUFACTURE | PCT/US96/08799 | 6/5/96 |
| Sealy Technology LLC | INTERNAL MATTRESS WALL STRUCTURES INTERLOCKINGLY ENGAGEABLE WITH MATTRESS INNERSPRING ASSEMBLY | PCT/US97/17689 | 9/30/97 |
| Sealy Technology LLC | COMPOSITE MATERIAL SPRING MODULES WITH INTEGRALLY FORMED ATTACHMENT FITTINGS | PCT/US98/07731 | 4/16/98 |
| Sealy Technology LLC | CAVITED PAD AND INNERSPRING ASSEMBLY HAVING SPRINGS WITH FREE TERMINAL CONVOLUTIONS | PCT/US99/15459 | 7/9/99 |
| Sealy Technology LLC | MACHINERY FOR AUTOMATED MANUFACTURE OF FORMED WIRE INNERSPRING ASSEMBLIES | PCT/US99/19746 | 8/31/99 |
| Sealy Technology LLC | COIL AND COIL HEAD FORMATION DIES FOR COILS WITH NON- CONVENTIONAL TERMINAL CONVOLUTIONS | PCT/US01/51610 | 11/13/01 |
| Sealy Technology LLC | FLEXIBLE SUPPORT STRUCTURES WITH COMPOSITE MATERIAL SPRING MODULES MOUNTED DIRECTLY ON FRAME MEMBERS AND RELATED ASSEMBLY EQUIPMENT AND METHODS | PCT/US01/41244 | 7/3/01 |
| Sealy Technology LLC | AUTOMATED APPARATUS FOR MANUFACTURE OF MATTRESS BORDERS WITH SEWN HANDLES | PCT/US01/00233 | 1/04/01 |
| Sealy Technology | EXTRUDED FOAM | PCT/US01/11533 | 4/10/01 |

| Owner | Title | Serial No. | Date |
|----------------------|--|-------------------|-----------------|
| LLC | REINFORCEMENT STRUCTURES FOR INNERSPRING ASSEMBLIES AND MATTRESSES | | |
| Sealy Technology LLC | CONVEYANCE SYSTEM FOR INTERFACE WITH COMPONENT PRODUCTION AND ASSEMBLY EQUIPMENT | PCT/US02/29720 | 9/19/02 |
| Sealy Technology LLC | PILLOWTOP/PANEL ATTACHMENT GUSSETT WITH RUFFLED CORNERS | PCT/US02/31058 | 9/30/02 |
| Sealy Technology LLC | SINGLE PIECE FOAM TOPPERS WITH PERIMETER AREAS HAVING VARIABLE SUPPORT AND FIRMNESS PROPERTIES | PCT/US02/33847 | 10/23/02 |
| Sealy Technology LLC | QUILT-STITCHED INTERNAL MATTRESS PILLOWS | PCT/US03/00465 | 1/08/03 |
| Sealy Technology LLC | ELEVATED COMPOSITE MATERIAL SPRING MODULES | PCT/US03/00670 | 1/09/03 |
| Sealy Technology LLC | UNITIZED THERMOPLASTIC FOAM STRUCTURES | PCT/US04/05141 | 2/19/04 |
| Sealy Technology LLC | FOAM ENCASED INNERSPRING WITH INTERNAL FOAM COMPONENTS | PCT/US04/29178 | 09/08/04 |
| Sealy Technology LLC | APPARATUS FOR AUTOMATED MANUFACTURE OF WELDED FOAM | PCT/US05/06957 | 03/03/05 |
| Sealy Technology LLC | SUSPENDED FLEXIBLE MATRIX SUPPORT SYSTEM | PCT/US08/51849 | 1/24/08 |
| Sealy Technology LLC | INNERSPRING COILS AND INNERSPRINGS WITH NON-HELICAL SEGMENTS | PCT/US08/02146 | 02/19/08 |
| Sealy Technology LLC | FOAM SPRINGS AND INNERSPRING COMBINATIONS FOR MATTRESSES | PCT/US09/31392 | 01/19/09- Filed |
| Sealy Technology LLC | INNERSPRING DAMPENING INSERTS | PCT/US09/31197 | 01/16/09- Filed |

| <u>Owner</u> | <u>Title</u> | <u>Serial No.</u> | <u>Date</u> |
|-------------------------|--|-------------------|-------------|
| Sealy Technology LLC | VARIABLE COIL DENSITY ANISOTROPIC INNERSPRINGS | PCT/US09/32812 | 2/2/09 |
| Sealy Technology LLC | COIL-IN-COIL SPRINGS AND INNERSPRINGS | PCT/US10/31041 | 04/14/10 |
| Sealy Technology LLC | ONE PIECE FOAM MATTRESS CORE ENCASEMENT | PCT/US11/49336 | 8/26/11 |
| Sealy Technology LLC | PRESSURE DISPERSION SUPPORT SYSTEMS | PCT/US11/50940 | 9/9/11 |
| Sealy Technology LLC | MATTRESS INNERSPRING INSERTS AND SUPPORTS | PCT/US11/62329 | 11/29/11 |
| Sealy Technology LLC | MATTRESSES WITH REINFORCEMENT INSERTS AND DENSIFIED STITCH ZONES | PCT/US12/20291 | 1/5/12 |
| Sealy Technology LLC | GRIPPER FOUNDATION | PCT/US12/20288 | 1/5/12 |
| Sealy Technology LLC | MATTRESS WITH EXTENDED LENGTH HANDLES | PCT/US11/66381 | 12/21/11 |
| Sealy Technology LLC | MATTRESS CONSTRUCTIONS WITH DENSIFIED FIBER COMPONENTS | PCT/US12/21029 | 1/12/12 |
| Sealy Technology LLC | REVERSE COIL HEAD COILS AND INNERSPRINGS | PCT/US12/21414 | 1/16/12 |
| Sealy Technology LLC | ENCASED HOURGLASS COILS AND MATTRESS CORES | PCT/US12/21681 | 1/18/12 |
| Sealy Technology LLC | MULTI-LAYER MULTI- MATERIAL FOAM MATTRESSES | PCT/US12/33941 | 4/17/12 |
| Sealy Technology LLC | TENSION RELIEF FOAM AND MATTRESS CONSTRUCTIONS | PCT/US12/37766 | 5/14/12 |
| Sealy Technology LLC | ADVANCED CONFORMANCE ENCASED COIL SPRING UNITS | PCT/US12/37749 | 5/14/12 |
| Sealy Technology LLC | LOW SHEAR MATTRESS TOPPER CONSTRUCTIONS | PCT/US12/37720 | 5/14/12 |
| Sealy Technology LLC | ENCASED HOURGLASS COILS AND MATTRESS CORES | 13/578,750 | 08/14/12 |
| Sealy Technology LLC | AIR FLOW MATTRESS CONSTRUCTIONS AND VARIABLE DENSITY MATTRESS CORES | 61/678,145 | 08/01/12 |

| Owner | Title | Serial No. | Date |
|--|---|-------------------|-------------|
| Sealy Technology LLC | MATTRESS W/ HEATING & COOLING SOURCE AND GEL INSERT | 61/677,504 | 07/31/12 |
| Sealy Technology LLC | LOW SHEAR MATTRESS TOPPER CONSTRUCTION | 13/470,607 | 05/14/12 |
| Sealy Technology LLC | TENSION RELIEF FOAM | 13/470,903 | 05/14/12 |
| Sealy Technology LLC | ADVANCED CONFORMANCE ENCASED COIL UNITS | 13/470,767 | 05/14/12 |
| Sealy Technology LLC | MATTRESS PACKAGE | 13/357,865 | 1/25/12 |
| Sealy Technology LLC | ENGINEERED FOAMS AND FOAM MATTRESS CONSTRUCTIONS | 61/590,505 | 1/25/12 |
| Sealy Technology LLC (co-owned with Nomaco Inc.) | ONE PIECE FOAM MATTRESS CORE ENCASMENT | 13/167,061 | 06/23/11 |
| Sealy Technology LLC | MULTI-LAYER MULTI-MATERIAL FOAM MATTRESSES | 13/089,668 | 4/19/11 |
| Sealy Technology LLC | REVERSE COIL HEAD COILS AND INNERSPRINGS | 13/010,525 | 1/20/11 |
| Sealy Technology LLC | MATTRESS CONSTRUCTIONS WITH DENSIFIED FIBER COMPONENTS | 13/006,804 | 1/14/11 |
| Sealy Technology LLC | GRIPPER FOUNDATION | 12/985,431 | 1/6/11 |
| Sealy Technology LLC | MATTRESSES WITH REINFORCEMENT INSERTS AND DENSIFIED STITCH ZONES | 12/985,415 | 1/6/11 |
| Sealy Technology LLC | MATTRESS WITH EXTENDED LENGTH HANDLES | 12/975,706 | 12/22/10 |
| Sealy Technology LLC | PRESSURE DISPERSION SUPPORT SYSTEMS | 12/878,217 | 09/09/10 |
| Sealy Technology LLC | 7 Zone Pressure Relief Inlay MATTRESS (Silver Dream - vertical stitching and coordinating tape along mattress border and handles) | 29/367727 | 8/12/10 |
| Sealy Technology LLC | MATTRESS WITH COORDINATING TAPE EDGE AND HANDLES (Traditional - solid color handles) | 29/367728 | 8/12/10 |
| Sealy Technology LLC | PILLOWTOP MATTRESS WITH COORDINATING TAPE EDGE AND HANDLES (Traditional - solid color handles) | 29/367729 | 8/12/10 |
| Sealy Technology | EURO-TOP MATTRESS | 29/367,731 | 8/12/10 |

| <u>Owner</u> | <u>Title</u> | <u>Serial No.</u> | <u>Date</u> |
|---------------------------------|---|-------------------|-------------|
| LLC | WITH COORDINATING TAPE EDGE AND HANDLES (Traditional – solid color handles) | | |
| Sealy Technology LLC | VISUAL REFERENCE UPHOLSTERY AND COMPONENT SCHEMES FOR MATTRESSES AND SLEEP SETS | 12/635,263 | 12/10/09 |
| Sealy Technology LLC | MATTRESS ASSEMBLY WITH CONVERTIBLE TOPPER | 12/607,315 | 10/28/09 |
| Sealy Technology LLC | VARIABLE COIL DENSITY ANISOTROPIC INNERSPRINGS | 12/025,888 | 2/5/08 |
| Sealy Technology LLC | MULTI-LAYER MULTI- MATERIAL FOAM MATTRESSES | 13/089,668 | 4/19/11 |
| Sealy Technology LLC | REVERSE COIL HEAD COILS AND INNERSPRINGS | 13/010,525 | 1/20/11 |
| Sealy Technology LLC | MATTRESS CONSTRUCTIONS WITH DENSIFIED FIBER COMPONENTS | 13/006,804 | 1/14/11 |
| Sealy Technology LLC | GRIPPER FOUNDATION | 12/985,431 | 1/6/11 |
| Sealy Technology LLC | MATTRESSES WITH REINFORCEMENT INSERTS AND DENSIFIED STITCH ZONES | 12/985,415 | 1/6/11 |
| Sealy Technology LLC | MATTRESS WITH EXTENDED LENGTH HANDLES | 12/975,706 | 12/22/10 |
| Sealy Technology LLC | PRESSURE DISPERSION SUPPORT SYSTEMS 7 Zone Pressure Relief Inlay | 12/878,217 | 09/09/10 |
| Sealy Technology LLC | MATTRESS DESIGNS | 29/435,423 | 10/24/12 |
| Sealy Technology LLC | MATTRESS DESIGNS | 29/435,420 | 10/24/12 |
| Sealy Technology LLC | MATTRESS DESIGNS | 29/434,447 | 10/12/12 |
| Sealy Technology LLC | MATTRESS DESIGNS | 29/434,444 | 10/12/12 |
| Sealy Technology LLC | MATTRESS DESIGNS | 29/434,441 | 10/12/12 |
| Tempur-Pedic Management, LLC | Laminated Visco-Elastic Support | 95/000,494 | 10/21/09 |
| Tempur-Pedic Management, LLC | Cushion | 11/080,739 | 03/15/05 |
| Tempur-Pedic Management, LLC | Therapeutic Mattress Assembly | 10/415,629 | 05/01/03 |

| Owner | Title | Serial No. | Date |
|------------------------------|--|-------------------|-------------|
| Tempur-Pedic Management, LLC | Interactive Bed Display | 10/268,202 | 10/10/02 |
| Tempur-Pedic Management, LLC | Reticulated Material Body Support and Method | 12/346,640 | 12/30/08 |
| Tempur-Pedic Management, LLC | Inflatable Mattress and Method of Operating the Same | 13/000,205 | 03/25/11 |
| Tempur-Pedic Management, LLC | Adjustable-Firmness Body Support and Method | 13/141,558 | 08/17/11 |
| Tempur-Pedic Management, LLC | Adjustable-Firmness Body Support and Method | 13/141,799 | 06/23/11 |
| Tempur-Pedic Management, LLC | Visco-Elastic Body Support and Method of Manufacturing the Same | 13/142,067 | 08/17/11 |
| Tempur-Pedic Management, LLC | Inter-Layer Gelatinous Body Support Adhesive and Method of Manufacturing a Body Support Using the Same | 13/141,794 | 06/23/11 |
| Tempur-Pedic Management, LLC | Body Support with Fluid System and Method of Operating Same | 13/141,542 | 08/17/11 |
| Tempur-Pedic Management, LLC | Thin-Layered Alternating Material Body Support and Method of Manufacturing Same | 13/141,386 | 06/22/2011 |
| Tempur-Pedic Management, LLC | Mattress Retention Bracket Assembly and Method | 13/189,792 | 07/25/11 |
| Tempur-Pedic Management, LLC | Pillow | 29/428,519 | 07/31/12 |
| Tempur-Pedic Management, LLC | Pillow | 29/428,499 | 07/31/12 |
| Tempur-Pedic Management, LLC | Pillow | 29/428,516 | 07/31/12 |
| Tempur-Pedic Management, LLC | Pillow | 29/428,524 | 07/31/12 |
| Tempur-Pedic Management, LLC | Mattress | 29/432,969 | 09/19/12 |
| Tempur-Pedic Management, LLC | Massage Cushion Assemblies | PCT/US2012/071991 | 12/28/2012 |
| Tempur-Pedic Management, LLC | Bed with Mattress Assembly Having One or More Internal Plates | PCT/US2012/072022 | 12/28/2012 |
| Tempur-Pedic Management, LLC | Climate Controlled Mattress Assembly and Related | PCT/US2012/071975 | 12/28/2012 |

| Owner | Title | Serial No. | Date |
|------------------------------|------------------------------|-------------------|-------------|
| | Methods | | |
| Tempur-Pedic Management, LLC | Foam Block Mattress Assembly | PCT/US2012/072034 | 12/28/2012 |
| Tempur-Pedic Management, LLC | Enhanced Mobility Mattress | PCT/US2012/072000 | 12/28/2012 |
| Tempur-Pedic Management, LLC | Mattress Assembly | PCT/US2012/071962 | 12/28/2012 |
| Tempur-Pedic Management, LLC | Travel Cushion | PCT/US2012/071957 | 12/28/2012 |
| Tempur-Pedic Management, LLC | Mattress Assembly | PCT/US2012/071981 | 12/28/2012 |
| Tempur-Pedic Management, LLC | Pillow | 29/443,248 | 01/15/2013 |
| Tempur-Pedic Management, LLC | Pillow | 29/443,245 | 01/15/2013 |
| Tempur-Pedic Management, LLC | Mattress Assembly | 61/757,280 | 01/28/2013 |