

PATENT ASSIGNMENT COVER SHEET

Electronic Version v1.1
 Stylesheet Version v1.2

EPAS ID: PAT3107698

SUBMISSION TYPE:	NEW ASSIGNMENT	
NATURE OF CONVEYANCE:	ASSIGNMENT	
CONVEYING PARTY DATA		
	Name	Execution Date
	CHRISTOPHER J ASENBAUER	02/25/2014
RECEIVING PARTY DATA		
Name:	AHKD LLC	
Street Address:	555 MAIN STREET, SUITE C	
City:	RIVERSIDE	
State/Country:	CALIFORNIA	
Postal Code:	92501	
PROPERTY NUMBERS Total: 1		
Property Type	Number	
Patent Number:	6893007	
CORRESPONDENCE DATA		
Fax Number:		
<i>Correspondence will be sent to the e-mail address first; if that is unsuccessful, it will be sent using a fax number, if provided; if that is unsuccessful, it will be sent via US Mail.</i>		
Phone:	9517849905	
Email:	steve@ultradenttools.com	
Correspondent Name:	STEVEN L. HOPF	
Address Line 1:	555 MAIN STREET, SUITE C	
Address Line 4:	RIVERSIDE, CALIFORNIA 92501	
NAME OF SUBMITTER:	STEVEN L. HOPF	
SIGNATURE:	/Steve Hopf/	
DATE SIGNED:	11/13/2014	
Total Attachments: 2		
source=A 6893007#page1.tif		
source=A 6893007#page2.tif		

Assignment of Patent

Whereas Christopher J. Asenbauer

of 1002 Maple Avenue, Beaumont CA 92220

has adopted, used and is using a (Patent) which is (registered/pending application) No.

6893007, dated February 25, 2014; and

Whereas, AHKD LLC


of 555 Main Street Suite C, Riverside CA 92501

is desirous of acquiring said (registered or pending) Patent; Now therefore, for good and


valuable consideration, the receipt of which is hereby acknowledged, said Christopher

J. Asenbauer does hereby assign to the said AHKD LLC all right, title, and

interest in and the (Patent) goodwill of the business symbolized thereby.

 2-25-14

Christopher J. Asenbauer

 2-25-14

AHKD LLC

Steve L. Hopf

Official Assignor for AHKD LLC

USPTO PATENT FULL-TEXT AND IMAGE DATABASE

[Home](#)[Quick](#)[Advanced](#)[Pat Num](#)[Help](#)[Bottom](#)[View Cart](#)[Add to Cart](#)[Images](#)

(1 of 1)

United States Patent

6,893,007

Asenbauer

May 17, 2005

Safety fence

Abstract

A safety fencing system is provided which includes a plurality of two-part poles. These poles have a flat edge and a curved edge providing a substantially "D" shape. In the preferred embodiment each flat edge includes a substantially concave portion and a substantially convex portion. These contours nest together when two flat edges are placed adjacent to one another, leaving a curved or round external shape. The nested contours and the flat edges receive a pliable material. These contours assist in "grabbing" the material to prevent it from slippage over time. Fasteners are used to secure the two parts of the poles together, capturing the material there between. Inserts are used in the ground to receive one the bottom end of the poles. Section locks are used to secure one section of fence to an adjacent section of fence. A gate is provided with two gate frame members. A first gate frame member supports the gate door and the second gate frame member supports the gate stop. The pole members of the gate frame members are adjustable in height so as to allow the gate frame members to support the gate in a level orientation. This is critical to a functional locking gate over time.

Inventors: Asenbauer; Christopher J. (Beaumont, CA)

Family ID: 33457518

Appl. No.: 10/666,810

Filed: September 18, 2003

Current U.S. Class:

256/47; 256/19

Current CPC Class:

E04H 4/06 (20130101)

Current International Class:

E04H 4/06 (20060101); E04H 4/00 (20060101); E04H 017/02 ()

Field of Search:

;256/1,19,24,25,32,26,47,49

References Cited [[Referenced By](#)]