

PATENT ASSIGNMENT COVER SHEET

Electronic Version v1.1
 Stylesheet Version v1.2

EPAS ID: PAT4226152

SUBMISSION TYPE:	NEW ASSIGNMENT
NATURE OF CONVEYANCE:	ASSIGNMENT
CONVEYING PARTY DATA	
Name	Execution Date
CHANGMOK KIM	11/29/2016
RECEIVING PARTY DATA	
Name:	LG ELECTRONICS INC.
Street Address:	128, YEOUNI-DAERO, YEONGDEUNGPO-GU
City:	SEOUL
State/Country:	KOREA, REPUBLIC OF
Postal Code:	150-721
PROPERTY NUMBERS Total: 1	
Property Type	Number
Application Number:	15326459
CORRESPONDENCE DATA	
Fax Number:	(213)623-2211
<i>Correspondence will be sent to the e-mail address first; if that is unsuccessful, it will be sent using a fax number, if provided; if that is unsuccessful, it will be sent via US Mail.</i>	
Phone:	213-623-2221
Email:	patent@lhlaw.com
Correspondent Name:	LEE, HONG, DEGERMAN, KANG & WAIMEY
Address Line 1:	660 S. FIGUEROA STREET
Address Line 2:	SUITE 2300
Address Line 4:	LOS ANGELES, CALIFORNIA 90017
ATTORNEY DOCKET NUMBER:	2060-5490
NAME OF SUBMITTER:	HARRY S. LEE
SIGNATURE:	/HARRY S. LEE/
DATE SIGNED:	01/13/2017
Total Attachments: 2	
source=2060-5490_Assignment#page1.tif	
source=2060-5490_Assignment#page2.tif	

ASSIGNMENT

(1-8) *Insert Name(s) of Inventor(s)* (1) KIM, Changmok

In consideration of the sum of one dollar (\$1.00) and other good and valuable considerations paid to each of the undersigned, the undersigned agree(s) to assign, and hereby does assign, transfer and set over to

(9) *Insert name of Assignee* (9) LG Electronics Inc.

(10) *Insert state of Incorporation of Assignee* (10) Republic of Korea

(11) *Insert address of Assignee* (11) 128, Yeoui-daero, Yeongdeungpo-gu, Seoul, 150-721 Republic of Korea

(hereinafter designated as the Assignee) the entire worldwide right, title and interest in the invention known as

(12) *Insert identification of Invention, such as Title, Case Number or Foreign Application Number* (12) **MOBILE TERMINAL AND CONTROLLING METHOD THEREOF**

for which the undersigned has (have) executed an application for patent in the United States of America and all patent applications in foreign countries corresponding thereto or based thereon.

1) The undersigned agree(s) to execute all papers necessary in connection with any original, reissue, divisional and continuing United States and foreign applications for the above-identified invention and also to execute separate assignments in connection with such applications as the Assignee may deem necessary or expedient.

2) The undersigned agree(s) to execute all papers necessary in connection with any interference which may be declared concerning this application or continuation or division thereof and to cooperate with the Assignee in every way possible in obtaining evidence and going forward with such interference.

3) The undersigned agree(s) to execute all papers and documents and perform any act which may be necessary in connection with claims or provisions of the International Convention for Protection of Industrial Property or similar agreements.


4) The undersigned agree(s) to perform all affirmative acts which may be necessary to obtain a grant of a valid United States patent to the Assignee.

5) The undersigned hereby authorize(s) and request(s) the Commissioner of Patents to issue any and all Letters Patents of the United States resulting from said application or any division or divisions or continuing applications thereof to the said Assignee, as Assignee of the entire interest, and hereby covenants that he has (they have) full right to convey the entire interest herein assigned, and that he has (they have) not executed any agreement in conflict herewith.

The undersigned hereby appoints the Attorneys associated with Customer No. 035884 the power to insert on this assignment any further identification which may be necessary or desirable in order to comply with the rules of the United States Patent and Trademark Office for recordation of this document.

Date: Nov 29, 2016

Signature of Inventor (1)

A handwritten signature in black ink, consisting of several loops and a long horizontal stroke at the bottom, positioned above a horizontal line.