PATENT ASSIGNMENT COVER SHEET

Electronic Version v1.1 Stylesheet Version v1.2 EPAS ID: PAT6589829

SUBMISSION TYPE:	NEW ASSIGNMENT	
NATURE OF CONVEYANCE:	ASSIGNMENT	

CONVEYING PARTY DATA

Name	Execution Date
JOSE CHAVES NETO	03/08/2021

RECEIVING PARTY DATA

Name:	ILUNGA INNOVATIVE PRODUCTS, LLC
Street Address:	6499 POWERLINE RD
Internal Address:	STE 101
City:	FORT LAUDERDALE
State/Country:	FLORIDA
Postal Code:	33309

PROPERTY NUMBERS Total: 1

Property Type	Number
Patent Number:	10864969

CORRESPONDENCE DATA

Fax Number:

Correspondence will be sent to the e-mail address first; if that is unsuccessful, it will be sent using a fax number, if provided; if that is unsuccessful, it will be sent via US Mail.

Phone: 5614798947

Email: contato@ilunga.com.br

Correspondent Name: JOSE CHAVES NETO

Address Line 1: RUA ROMEU PEREIRA, 84

Address Line 2: APT. 2604 ED. TERRACOS DA RAINHA DOS PINHEIROS


Address Line 4: BALNEARIO CAMBURIU, BRAZIL 88331045


NAME OF SUBMITTER:	JOSE NETO CHAVES
SIGNATURE:	/Jose Neto Chaves/
DATE SIGNED:	03/08/2021
This document serves as an Oath/Declaration (37 CFR 1.63).	

Total Attachments: 25

source=Ilunga Innovative Products LLC - Certificate of Ownership Cantizani#page1.tif source=Ilunga Innovative Products LLC - Certificate of Ownership Cantizani#page2.tif source=Ilunga Innovative Products LLC - Certificate of Ownership Jose Chaves#page1.tif source=Ilunga Innovative Products LLC - Certificate of Ownership Jose Chaves#page2.tif

PATENT 506543051 REEL: 055573 FRAME: 0943





Certificate 001

Organized under the laws of the State of Florida Authorized to Issue 100% Membership Interest

Percent

LUNGA INDVATIVE PRODUCTS LLC

of percent holders and the qualifications, limitations or restrictions of such rights. without charge to each percent holder who so requests, the powers, designations, preferences and relative participation rights restrictions in the Operating Agreement Regulations for this Limited Liability Company. The Company will furnish duly authorized Attorney upon surrender of this Certificate properly endorsed. Transfer of this percent is subject to Liability Company transferable only on the books of the Limited Liability Company by the holder hereof in person or by This Cortifies that Mesons Associate Cambigassi de Classibas is the owner of SQ (Fifty) percent of the above Limited

authorized Member(s) Manager(s) this CEIEIEE In Witness Whereof, the said Limited Liability Company has caused this Certificate to be signed by the duby


Marco Aurelio Cantizani de Oliveira Managing Member

José Chaves Neto Member

REEL: 055573 FRAME: 0945

Dated	Attorney to transfer the said Shares on the books of the within named Limited Liability Company with full power of substitution in the premises.	Certificate, and do hereby irrevocable constitute and	unto shares represented by the within	For Value Received hereby sell, assign and transfer
	ines on ti	and	inted by	ssign an
	he books	appoint	the with	id transf

VALCE: THE SIGNATURE OF THE SCHOOLES. HE SIGNATURE OF THE CERTIFICALE, WHITH THE NAME AS SIGNATE AND THE CERTIFICALE, NOTICE: THE SIGNATURE OF THE CERTIFICALE, NOTICE: THE SIGNATURE OF THE SASIGNMENT MUST CORRESPOND.



Certificate 002

Organized under the laws of the State of Florida Authorized to Issue 100% Membership Interest

Percent

ESTANTANOVATIVE PRODUCTS IN

the qualifications, limitations or restrictions of such rights percent holder who so requests, the powers, designations, preferences and relative participation rights of percent holders and Operating Agreement Regulations for this Limited Liability Company. The Company will furnish without charge to each transferable only on the books of the Limited Liability Company by the holder hereof in person or by duly authorized This Cortifies that Good Phospes These is the owner of Ed (Fifty) percent of the above Limited Liability Company Attorney upon surrender of this Certificate properly endorsed. Transfer of this percent is subject to restrictions in the

authorized Member(s) Manager(s) this CE 1888 Witness Whereof, the said Limited Liability Company has caused this Certificate to be signed by the duly

Marco Aurelio Cantizani de Oliveira Managing Member

José Chaves Neto Member

REEL: 055573 FRAME: 0947

For Value Received,	eceived.				hereby	sell, assign	hereby sell, assign and transfer
unto					shares	represented v	shares represented by the within
Certificate,	and	do	hereby	irrevocable	constitute	and	appoint
				Attorney to	Attorney to transfer the said Shares on the books of	id Shares on	r the books of
the within nan	ned Limited L	!iability C	sompany with s	the within named Limited Liability Company with full power of substitution in the premises.	titution in the pr	emises.	
Dated							
In presence of							

VAX. CHYNCE MHYLEAEK

VAL CHYNCE MHYLEAEK

MILH LHE NYNE YZ MILLHON J FILEBYLION' ENTYBCEWERL' OB

MILH LHE NEWE YZ MILLHON LEWYLION' ENTYBCEWERL' OB

MOLICE: LHE ZIGNYLIABE OL LHIZ YZZIGNWERL MOZL COBBEZDOND



US010864969B2

(12) United States Patent

Neto

(10) Patent No.: US 10,864,969 B2

(45) **Date of Patent: Dec. 15, 2020**

(54) STRUCTURAL ARRANGEMENT FOR A WATER SKI OR UNDERWATER SKI

(71) Applicant: **José Chaves Neto**, Balneario Camboriu (BR)

(72) Inventor: **José Chaves Neto**, Balneario Camboriu

(BR)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35

U.S.C. 154(b) by 0 days.

(21) Appl. No.: 16/468,468

(22) PCT Filed: Dec. 21, 2016

(86) PCT No.: PCT/BR2016/050341

§ 371 (c)(1),

(2) Date: **Jun. 11, 2019**

(87) PCT Pub. No.: **WO2018/107252** PCT Pub. Date: **Jun. 21, 2018**

(65) **Prior Publication Data**

US 2020/0086957 A1 Mar. 19, 2020

(30) Foreign Application Priority Data

Dec. 15, 2016 (BR) 102016029472

(51) Int. Cl.

B63B 32/20 (2020.01)

B63B 32/30 (2020.01)

B63B 34/40 (2020.01)

B63H 25/02 (2006.01)

B63B 34/60 (2020.01)

(52) U.S. Cl.

 25/02 (2013.01); *B63B* 2203/00 (2013.01); *B63H* 2025/024 (2013.01); *B63H* 2025/028 (2013.01)

(58) Field of Classification Search

CPC B63B 32/20; B63B 32/35; B63B 34/60; B63H 25/02; B63H 2025/024; B63H 2025/028

See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

2,259,804	A	*	10/1941	Davis B62B 13/10
				180/182
2,817,101	A	*	12/1957	Chaffee B63B 34/10
				114/55.55
3,827,391	A	*	8/1974	Stanberry, Sr B63B 34/10
				114/274


(Continued)

Primary Examiner — Lars A Olson Assistant Examiner — Jovon E Hayes (74) Attorney, Agent, or Firm — Scott Houtteman; Houtteman Law LLC

(57) ABSTRACT

Structural arrangement for a water ski or underwater ski comprising essential mechanisms for significantly improving the user experience in underwater wake bodyboarding. The ski is characterized by the addition of novel and different attachable items that enable the ski to be used without a powered vehicle. The ski is also characterized in that it has various different items that can be attached to the cowling to improve the performance and comfort of the equipment, combined with a personalized steering system and an essential safety system, providing a model that is unique on the underwater ski/water ski market.

3 Claims, 12 Drawing Sheets



US 10,864,969 B2

Page 2

(56) References Cited

U.S. PATENT DOCUMENTS


 4,641,599
 A *
 2/1987
 Thomas
 B63H 23/26


 114/346
 114/346
 B60F 3/0046
 B60F 3/0046


 5,544,607
 A *
 8/1996
 Rorabaugh
 B60F 3/0046


 114/123
 2020/0086957
 A1 *
 3/2020
 Neto
 B63H 25/02

^{*} cited by examiner












PATENT REEL: 055573 FRAME: 0953











Fig. 10











Fig. 12
































1

STRUCTURAL ARRANGEMENT FOR A WATER SKI OR UNDERWATER SKI

BRIEF SUMMARY OF THE INVENTION

The present application refers to a structural arrangement on a water and underwater ski propelled by vessels, with the object to practice maneuvers on or under the water surface, also popularizing the practice of a recently introduced sport, i. e. underwater wake body board.

In the market of water skis propelled by external elements, most devices are currently designed only for use over water. All of them have the characteristic to be propelled by a vessel or impellers, thus enabling maneuvers to be performed during the drive. More recently, a new application has been given to those skis, adding the feature of underwater submersion. They also provide for maneuver performance during submersion.

However, water and underwater skis are currently becoming obsolete, since only small improvements have been performed to the general functionalities of the device. As for background information, we can verify that most documents are found in the last decade and century; some inventions are changes to their ornamental set, for Industrial Design registrations, and not with such a high degree of invention development to provide enhancements to all the aspects of water and underwater devices. Therefore, the application of new improvements for that device is mandatory, for safety, convenience and functionality purposes, as well as for the 30 performance of the device.

Structural arrangements for water and underwater ski are available in the state of the art with practically the same features and few improvements in the field. Changes are more intense concerning the cowl projects for the device, i. 35 e. its design. The state-of-the-art patents concerning the object as presented herein include some common features, which are basic for all ski devices, and there are also more specific features resulting in improvements.

Patent document BR 0603313-0 by the same inventor as 40 the most relevant state of the art, concerning the requirements necessary to reach a patent. The old patent document was filed in 2006 and discloses the contents of a product with not so recent technologies, and the applicant also has large technical knowledge on the subject, as acquired 45 throughout these years.

The content presented by the above mentioned patent document, BR 0603313-0, refers to a water and underwater ski having a few relevant details against the newly developed product, such as ergonomic handles, helm, a handlebar, 50 a centralized lashing point and a lower water bumper. Generally speaking, said items are commonly used in structural arrangements for water/underwater skis, and have become almost indispensable. They also have elements such as supports for the elbows and a sun visor, which are features 55 found in the new product, but it is still possible to identify a widely varied use of these elements concerning the product at issue.

We can also mention patent document US 2011053442, disclosing a structural arrangement in the water ski field, 60 having features such as handles, although non-ergonomic, a centralized lashing point and a non-maneuverable helm. Generally speaking, said structural arrangement for a ski is very basic, even more for a recent product.

We can also mention patent document BR 02022120-0, 65 disclosing a structural arrangement characterized by being similar to a jellyfish. It is a board which may be towed by

2

a vessel, allowing the diver to immerse. The diver introduces his or her hands into the maneuver slit, to allow performing maneuvers while immersed.

However, even being aware of the relevant state of the art, we can state that there are many structural and technological differences between said products and the ski to be explained by this patent document. So far, it is possible to identify little development in this market field, and products which are compatible with current technologies must be added to meet the demand for a high quality product. Safety systems, unique ergonomic handles, improvements to the device performance and functionality, considering non-evident or obvious applications, are a part of the developed devices.

The object presented by this description consists of a structural arrangement to a water and underwater ski for safer and more effective practice of underwater wake body board, allowing for performance improvements by users in sport practice. Designed by persons working in the water and underwater ski field for many years, the structural arrangement as created includes various improvements, with the object to enable users to enjoy, as much as possible, the particularities which may be provided by the underwater wake body board. Similarly, there are also solutions for recurrent problems impairing a better use of the device during sport practices, since the device must reach good performance both over and under the water.

One characteristic of the object as disclosed by the present patent document is the structural arrangement applied to a water and underwater ski by adding new and different items providing ski independence from other pulled vehicles, such as speedboats. It is also characterized by including a cowl system and cowl extensions providing for better performance and comfort; added to a personalized steering system and an imperative safety system, resulting in a unique model in the current market of water and underwater skis. Furthermore, instruments are included to help the ski to perform certain features.

BRIEF DESCRIPTION OF THE DRAWINGS

The disclosure below and related figures, as examples, will facilitate the understanding of the present application.

FIGS. 1A, 1B, 1C and 1D respectively show the upper, perspective, front and side views of the water and underwater ski.

FIGS. 2A, 2B, 2C and 2D show various views of the water and underwater ski, highlighting the cable which is used to connect the ski to the vessel with the safety device.

FIGS. 3A, 3B, 3C and 3D show the individual propeller in various views.

FIGS. 4A, 4B and 4C show three views of said individual propeller linked to the water and underwater ski.

FIGS. 5A, 5B, 5C and 5D show, in various views, the water and underwater ski with a second embodiment of the propeller which is linked to the sides.

FIGS. 6A, 6B, 6C and 6D show various views of the special helm which is linked to the water and underwater ski.

FIGS. 7A and 7B show the views of some possible positions wherein the user may enjoy his or her water and underwater ski.

FIGS. 8A, 8B, 8C and 8D show various views of the items constituting the water and underwater ski cowl.

FIGS. 9A, 9B, 9C and 9D show front, rear, upper and perspective views, respectively, of the attachable extension.

FIG. 10 shows said attachable extension fixed to the water and underwater ski.

3

FIG. 11 shows the view of the practicable position with the insertion of the attachable extension as shown by the previous figure.

FIG. 12 shows the water and underwater ski with the attached hydrofoil.

FIGS. 13A, 13B, 13C and 13D show said hydrofoil in different views.

FIGS. 14A and 14B show views of the water and underwater ski with coupled wings.

FIGS. **15**A and **15**B show said wing in different views. FIGS. **16**A, **16**B, **16**C and **16**D respectively show the upper, perspective, rear and side views of the ergonomic handles of the water and underwater ski.

FIGS. 17A, 17B and 17C show various views of the electronic system included in ergonomic handles.

FIGS. 18A, 18B, 18C and 18D show various views of the control panel, which is located next to the driver on the vessel to pull the water and underwater ski, or on another location outside the ski.

FIGS. **19**A, **19**B, **19**C, **19**D, **19**E, **19**F, **19**G and **19**H show ²⁰ various views of the driven system linked to the shape of the water and underwater ski.

FIGS. 20A, 20B and 20C respectively show the upper, rear and side views of the towing shaft with independent rotation

FIGS. 21A, 21B, 21C and 21D show various views of the handlebar, which is a part of the driving system for the water and underwater ski.

FIGS. 22A, 22B, 22C and 22D show the upper, perspective, rear and side views of the shape.

FIGS. 23A, 23B, 23C and 23D show the upper, perspective, rear and side views of the fixing plate for the steering system of the water and underwater ski.

FIGS. **24**A and **24**B show two views of the operation process for the safety quick release system for the water and ³⁵ underwater ski.

DETAILED DESCRIPTION OF THE INVENTION

Concerning presented figures, the water and sub water ski (1), represented by FIGS. 1A, 1B, 1C and 1D, has a modern design and a series of items attached to the shape (50) and the ski cowl itself, which will be explained further below. The shape (50) is the base support to which the whole 45 structure is assembled, fixed and attached around that shape (50). It has a hole (51) and receives a fixing plate (33) with a hole (331) concentrically located to the hole (51); a towing shaft (34) also including a hole (36) concentrically located to the other holes is located, and then a handlebar (31) is 50 positioned by its shaft (38) crossing the hole (36) of the shaft (34) and the hole (331) of the plate (33) fixed to the shape (50) and, on the lower surface of the shape (50), a helm is fixed to the shaft (38) of the handlebar (31), also by means of the hole (331) on the plate (33), forming the steering 55 system; and the surface of the shape (50) also includes keels (52) and a cowl (10). These will be explained in detail further below.

As shown by FIGS. 2A, 2B, 2C and 2D, the water and underwater ski (1) may be impelled by boats or impellers, to 60 be pulled by a connection (2), representing the rope and the safety system. There is also the possibility of linking a dedicated propeller (3) to the device, making it become independent from external movement generators, as drawn on FIGS. 3A, 3B, 3C and 3D. There may be one single 65 propeller (3), fitted to the shaft (38) of the handlebar (31), shown in detail further below in FIG. 21, so to provide

4

movement and autonomy to the ski (1), as shown by FIGS. 4A, 4B and 4C. Also, the propeller (3') may be double and attached to the sides of the water and underwater ski (1), as per FIGS. 5A, 5B, 5C and 5D. In both cases, the steering and acceleration of the propeller (3) may be controlled by the user by means of control over the handles (20) of the water and underwater ski (1) being driven by the user, or also by remote control by means of a remote control device (not shown), facilitating its command when no one is aboard the water and underwater ski (1).

Still another way to make the device become autonomous, i. e. not requiring a boat or a propeller (3) to move the water and underwater ski (1), is the use of special helms (4), which are also fitted to the shaft (38) of the handlebar (31). Therefore, as shown by FIGS. 6A, 6B, 6C and 6D, the user has the possibility to rotate the special helms (4) and impel the water and underwater skin (1) forward.

Concerning the visual part of the ski (1), the cowl (10) has a creative and elaborate design, inspired on the body shape of a stingray. It allows the user to remain on the ski (1) during sport practice, providing the loss of contact between the water and the user, thus resulting in a floating sensation at high speed, as per FIGS. 7A and 7B. The cowl (10) has been designed with the object to ergonomically accommodate a human body within the device. FIGS. 8A, 8B, 8C and 8D show the rear side parts of the cowl, with side slopes (11) to accommodate the athlete's arms, providing stability, for allowing the user to remain still on the device. The cowl (10) also includes a plate extension (12) offering better comfort while gliding on the water surface and, since the plate extension (12) has transparent features, it has the same purpose of a sun visor, allowing to see the underwater sceneries while skiing. There is also a water flow sink (13), serving to avoid the formation of water flows against the user's face during the sport practice, as well as the plate prolongation (12), the water flow sink (13) may have transparent features with the same purpose.

Furthermore, as per FIGS. 9A, 9B, 9C and 9D, the ski (1) has an extension (14) which is attachable to the rear part of the ski for the user to rest his or her knees, thus resulting in better comfort for the user while gliding over the water surface and better maneuver possibilities. That extension (14) linked to the water and underwater ski (1) can be seen on FIG. 10 and its application is shown by FIG. 11. Another detail of the cowl (10) is its form of stamping, which basically expresses the existence of a cowl elevation from the front edge until around the center of the ski, thus providing the hydrodynamic factor required to enable the user to submerge.

Furthermore, on the items attachable to the water and underwater ski (1), there are hydrofoils (15), as shown by FIGS. 12, 13A, 13B, 13C and 13D, which are constituted by two parts, wherein one of those parts is attached to the shaft (38) of the handlebar (31) and the other one is attached to the rear part of the cowl (10) itself. They serve to provide the user with better comfort and the device with better sailing conditions, thus resulting in a gliding sensation on air, i. e. fluctuation.

There is also the possibility to link wings (16) to the sides of the water and underwater ski (1), as presented by FIGS. 14A, 14B, 15A and 15B. Similarly, they are used to enhance device gliding on the water and its underwater sailing conditions by means of hydrodynamic and aerodynamic features as provided.

Inside the cowl (10), the guiding system is located, which is responsible for the whole mechanics and operation of the device when practicing the sport; it may be generically seen

5

on the set of FIG. 19. That system is constituted by two ergonomic handles (20), a handlebar (31), an independently rotating towing shaft (34), a fixing plate (33) for the whole system on the shape (50) and the steerable helm (30). The whole system is connected, i. e. those parts are fitted and fixed by a shaft (38), so to constitute the mechanical system responsible for its side movement, elevation and submersion of the device into the sea.

Concerning the ergonomic handlebars (20), as shown by FIGS. 16A, 16B, 16C and 16D, we have improvements to require the user to apply less force and to provide him or her with better comfort during the activity. A protuberance (21) can be found on the handles, separating the index finger from the others. The angle (22) requires less effort from the $_{15}$ fingers to control the ergonomic handles (20). A second protuberance (23) is located on the rear part of the ergonomic handles (20), which are designed to enable the water and underwater ski (1) to submerge more easily while its user has his or her arms outstretched. Inside the handles, 20 there is an electronic system (24), as shown by FIGS. 17A, 17B and 17C, to enable communication between the user on the water and underwater ski (1) and the speedboat driver, by means of signals transmitted by the electronic system (24) of data from the user of the water and underwater ski (1), which 25 are sent to the control panel (25) located close to the speedboat driver or even on another well-known point, such as a beach, dock, etc. The control panel (25) is shown by FIGS. 18A, 18B, 18C and 18D.

As shown by FIGS. **19**A, **19**B, **19**C, **19**D, **19**E, **19**F, **19**G ₃₀ and 19H, also referring to the steering system for the water and underwater ski (1), the helm (30) is located, which may have different versions as previously shown, and is activated by the handlebar (31) rotation, wherein ergonomic handles (20) are inserted, with the purpose to guide the water and $_{35}$ underwater ski (1) to the desired route. The same figures also show the inclusion of keels (52) linked to the shape (50), so to give better adhesion and performance speed. There is also an independently rotating towing shaft (34), which may be better observed on FIGS. 20A, 20B and 20C, and has been precisely designed to be solely moved according to the side to which the user steers the device, thus resulting in better side mobility, both when submersed into the water, and also over the water surface. On the edges of the independently rotating towing shaft (34), there are two holes (35) located, wherein the cables which may be connected to a possible vessel to pull the water and underwater ski (1) are inserted. On the central hole (36) of the shaft (34), the whole handlebar (31) structure is inserted, connecting the fixing plate (33). FIGS. 21A, 21B, 21C and 21D show the handlebar (31) in detail, and it is possible to notice the existence of holes on its edges, which are intended to insert bars (37) over which the ergonomic handles (20) are assembled.

The whole steering system is attached by the shaft (38) of the handlebar (31). Concerning FIGS. 22A, 22B, 22C and 22D, a hole (51) is located on the shape (50) itself, which is strategically located, through which the shaft (38) of the handlebar (31) and the whole structure of the steering system passes to move the helm (30).

6

FIGS. 23A, 23B, 23C and 23D show the fixing plate (33) of the steering system attached to the shape (50). The shaft (38) of the handlebar (31) is also inserted through the hole (331) as shown. Therefore, said plate (33) provides full attachment of the steering system which will be responsible for steering the helm (30), and consequently the trajectory of the water and underwater ski (1).

Concerning the safety system (40) offered by the device, represented by FIGS. 24A and 24B, there is a quick disengaging set which is activated by the user himself or herself, known as leash cable (41), which is a rope attached to the ski (1) and to the athlete's wrist. Therefore, whenever the user faces a risk situation, he or she can get free from the vessel, while the safety system works automatically. If the user falls too suddenly from the water and underwater ski (1), the safety system (40) is also immediately activated. The safety system (40), when activated by the leash (41), will cause the disengagement (42) to slide and press the spring (43) of a second cable (410), also attached to the disengagement (42) and to the ski (1). Therefore, the pin (44) fixing the leash (41) to the vessel will be forced to come loose from the cable (45) which is attached to the vessel.

Adding to that, a floatability feature has been applied to the ski, caused by the density difference between the water and the material used to prepare the device. Said floatability feature is important in case of emergency situations, both on the water and in submersion. The device may be of help as support and serve for rescue situations.

Considering all the aspects as mentioned and bearing in mind all the state-of-the-art documents as mentioned, there is a substantial difference between water and underwater ski devices. The present invention provides many benefits in all aspects, such as safety system, steering system, various attachable tools, ergonomic design and many other factors, so to improve the diver's experience during the sport practice.

The invention claimed is:

- 1. A water ski, useful for wake bodyboarding, comprising: a base support,
- a towing shaft is attached to the support, said towing shaft has holes at each end to which cables which may be connected for use by a vessel to tow the water ski,
- a set of handlebars connected to a central shaft, the shaft passes through a hole in said base support and is connected to a steering system underneath the base support and configured such that the water ski trajectory can be controlled by use of the handlebars,
- a safety device comprising a rope in which one end is attached to the athlete's wrist and the other end is attached to the ski by way of a safety system,
- the safety system will automatically detach the rope from the ski when the athlete puts tension on the rope
- a set of two keels are attached symmetrically to lateral underside of the base support.
- 2. The water ski as defined in claim 1 further comprising a propeller.
- 3. The water ski as defined in claim 1 further comprising double propellers located on the sides of the ski.

* * * * *

Date of this notice: 02-22-2021

Employer Identification Number:

86-2195727

Form: SS-4

Number of this notice: CP 575 B

ILUNGA INNOVATIVE PRODUCTS LLC
MARCO AURELIO CANTIZANI OLIVEIRA MB
6499 POWERLINE RD STE 101
FORT LAUDERDALE, FL 33309

For assistance you may call us at: 1-800-829-4933

IF YOU WRITE, ATTACH THE STUB AT THE END OF THIS NOTICE.

WE ASSIGNED YOU AN EMPLOYER IDENTIFICATION NUMBER

Thank you for applying for an Employer Identification Number (EIN). We assigned you EIN 86-2195727. This EIN will identify you, your business accounts, tax returns, and documents, even if you have no employees. Please keep this notice in your permanent records.

When filing tax documents, payments, and related correspondence, it is very important that you use your EIN and complete name and address exactly as shown above. Any variation may cause a delay in processing, result in incorrect information in your account, or even cause you to be assigned more than one EIN. If the information is not correct as shown above, please make the correction using the attached tear off stub and return it to us.

Based on the information received from you or your representative, you must file the following form(s) by the date(s) shown.

Form 1065 03/15/2022

If you have questions about the form(s) or the due date(s) shown, you can call us at the phone number or write to us at the address shown at the top of this notice. If you need help in determining your annual accounting period (tax year), see Publication 538, Accounting Periods and Methods.

We assigned you a tax classification based on information obtained from you or your representative. It is not a legal determination of your tax classification, and is not binding on the IRS. If you want a legal determination of your tax classification, you may request a private letter ruling from the IRS under the guidelines in Revenue Procedure 2004-1, 2004-1 I.R.B. 1 (or superseding Revenue Procedure for the year at issue). Note: Certain tax classification elections can be requested by filing Form 8832, Entity Classification Election. See Form 8832 and its instructions for additional information.

A limited liability company (LLC) may file Form 8832, Entity Classification Election, and elect to be classified as an association taxable as a corporation. If the LLC is eligible to be treated as a corporation that meets certain tests and it will be electing S corporation status, it must timely file Form 2553, Election by a Small Business Corporation. The LLC will be treated as a corporation as of the effective date of the S corporation election and does not need to file Form 8832.

To obtain tax forms and publications, including those referenced in this notice, visit our Web site at www.irs.gov. If you do not have access to the Internet, call 1-800-829-3676 (TTY/TDD 1-800-829-4059) or visit your local IRS office.

IMPORTANT REMINDERS:

- * Keep a copy of this notice in your permanent records. This notice is issued only one time and the IRS will not be able to generate a duplicate copy for you. You may give a copy of this document to anyone asking for proof of your EIN.
- * Use this EIN and your name exactly as they appear at the top of this notice on all your federal tax forms.
- * Refer to this EIN on your tax-related correspondence and documents.

If you have questions about your EIN, you can call us at the phone number or write to us at the address shown at the top of this notice. If you write, please tear off the stub at the bottom of this notice and send it along with your letter. If you do not need to write us, do not complete and return the stub.

Your name control associated with this EIN is ILUN. You will need to provide this information, along with your EIN, if you file your returns electronically.

Thank you for your cooperation.

Keep this part for your records. CP 575 B (Rev. 7-2007)

Return this part with any correspondence so we may identify your account. Please

correct any errors in your name or address.

CP 575 B

999999999

Your Telephone Number Best Time to Call DATE OF THIS NOTICE: 02-22-2021

() - EMPLOYER IDENTIFICATION NUMBER: 86-2195727
FORM: SS-4 NOBOD

INTERNAL REVENUE SERVICE
CINCINNATI OH 45999-0023

ILUNGA INNOVATIVE PRODUCTS LLC
MARCO AURELIO CANTIZANI OLIVEIRA MB
6499 POWERLINE RD STE 101
FORT LAUDERDALE, FL 33309

Electronic Articles of Organization For Florida Limited Liability Company

L21000074672 FILED 8:00 AM February 12, 2021 Sec. Of State agent03

Article I

The name of the Limited Liability Company is: ILUNGA INNOVATIVE PRODUCTS LLC

Article II

The street address of the principal office of the Limited Liability Company is:

C/O 6499 POWERLINE RD STE 101 FORT LAUDERDALE, FL. US 33309

The mailing address of the Limited Liability Company is:

C/O 6499 POWERLINE RD STE 101 FORT LAUDERDALE, FL. US 33309

Article III

The name and Florida street address of the registered agent is:

VIP BUSINESS CONSULTING LLC 6499 POWERLINE RD STE 101 FORT LAUDERDLE, FL. 33309

Having been named as registered agent and to accept service of process for the above stated limited liability company at the place designated in this certificate, I hereby accept the appointment as registered agent and agree to act in this capacity. I further agree to comply with the provisions of all statutes relating to the proper and complete performance of my duties, and I am familiar with and accept the obligations of my position as registered agent.

Registered Agent Signature: VITOR BIDART

Article IV

The name and address of person(s) authorized to manage LLC:

Title: MGR MARCO AURELIO CANTIZANI D OLIVEIRA 6499 POWERLINE RD STE 101 FORT LAUDERDALE, FL. 33309 US L21000074672 FILED 8:00 AM February 12, 2021 Sec. Of State agent03

Article V

The effective date for this Limited Liability Company shall be:

02/21/2021

Signature of member or an authorized representative

Electronic Signature: VITOR BIDART

I am the member or authorized representative submitting these Articles of Organization and affirm that the facts stated herein are true. I am aware that false information submitted in a document to the Department of State constitutes a third degree felony as provided for in s.817.155, F.S. I understand the requirement to file an annual report between January 1st and May 1st in the calendar year following formation of the LLC and every year thereafter to maintain "active" status.

PATENT REEL: 055573 FRAME: 0969

RECORDED: 03/08/2021