PATENT ASSIGNMENT COVER SHEET

Electronic Version v1.1 Stylesheet Version v1.2 EPAS ID: PAT6866581

SUBMISSION TYPE:	NEW ASSIGNMENT
NATURE OF CONVEYANCE:	RELEASE OF SECURITY INTEREST

CONVEYING PARTY DATA

Name	Execution Date
JOHN MICAEL RYAN	08/09/2007

RECEIVING PARTY DATA

Name:	OKLAHOMA STATE BANK BANK	
Street Address: 120 W CANADIAN, PO BOX 278		
Internal Address:	PO BOX 278	
City:	VINITA	
State/Country:	OKLAHOMA	
Postal Code:	74301	

PROPERTY NUMBERS Total: 2

Property Type	Number
Patent Number:	5113702
Patent Number:	5911189

CORRESPONDENCE DATA

Fax Number: (918)256-3817

Correspondence will be sent to the e-mail address first; if that is unsuccessful, it will be sent using a fax number, if provided; if that is unsuccessful, it will be sent via US Mail.

Phone: 9182565585

Email: mtullis@okstate.bank

Correspondent Name: OKLAHOMA STATE BANK

Address Line 1: 120 W CANADIAN

Address Line 2: PO BOX 278

Address Line 4: VINITA, OKLAHOMA 74301

NAME OF SUBMITTER:	MARY TULLIS
SIGNATURE:	/Mary Tullis/
DATE SIGNED:	08/16/2021
	This document serves as an Oath/Declaration (37 CFR 1.63).

Total Attachments: 5

source=patent#page1.tif source=patent#page2.tif

source=patent#page3.tif

source=patent#page4.tif		
source=patent#page5.tif		



UNITED STATES PATENT AND TRADEMARK OFFICE

Under Secretary of Commerce for Intellectual Property and DIRECTOR OF THE UNITED STATES PATENT AND TRADEMARK OFFICE

AUGUST 16, 2007

PTAS

JIM SHELTON OKLAHOMA STATE BANK 120 W. CANADIAN VINITA, OKLAHOMA 74301

> UNITED STATES PATENT AND TRADEMARK OFFICE NOTICE OF RECORDATION OF ASSIGNMENT DOCUMENT

THE ENCLOSED DOCUMENT HAS BEEN RECORDED BY THE ASSIGNMENT DIVISION OF THE U.S. PATENT AND TRADEMARK OFFICE. A COMPLETE MICROFILM COPY IS AVAILABLE AT THE ASSIGNMENT SEARCH ROOM ON THE REEL AND FRAME NUMBER REFERENCED BELOW.

PLEASE REVIEW ALL INFORMATION CONTAINED ON THIS NOTICE. THE INFORMATION CONTAINED ON THIS RECORDATION NOTICE REFLECTS THE DATA PRESENT IN THE PATENT AND TRADEMARK ASSIGNMENT SYSTEM. IF YOU SHOULD FIND ANY ERRORS OR HAVE QUESTIONS CONCERNING THIS NOTICE, YOU MAY CONTACT THE EMPLOYEE WHOSE NAME APPEARS ON THIS NOTICE AT 571-272-3350. PLEASE SEND REQUEST FOR CORRECTION TO: U.S. PATENT AND TRADEMARK OFFICE, MAIL STOP: ASSIGNMENT SERVICES BRANCH, P.O. BOX 1450, ALEXANDRIA, VA 22313.

RECORDATION DATE: 08/09/2007

REEL/FRAME: 019704/0292

NUMBER OF PAGES: 5

BRIEF: SECURITY INTEREST (SEE DOCUMENT FOR DETAILS).

ASSIGNOR:

RYAN, JOHN MICHAEL

DOC DATE: 05/07/2007

ASSIGNEE:

OKLAHOMA STATE BANK 120 W. CANADIAN VINITA, OKLAHOMA 74301

SERIAL NUMBER: 09109629 PATENT NUMBER: 5911189

FILING DATE: 07/02/1998 ISSUE DATE: 06/15/1999

TITLE: BOAT GUIDE FOR USE IN GUIDING A BOAT INTO OR OUT OF A BOAT SLIP

SERIAL NUMBER: 07515851 PATENT NUMBER: 5113702 TITLE: BOAT AND DOCK GUARD

FILING DATE: 04/30/1990 ISSUE DATE: 05/19/1992

P.O. Box 1450, Alexandria, Virginia 22313–1450 - www.uspto.gov PATENT

REEL: 057191 FRAME: 0923

019704/0292 PAGE 2

PAULA MCCRAY-STANLEY, EXAMINER ASSIGNMENT SERVICES BRANCH PUBLIC RECORDS DIVISION

4
0
~
0
Ś
\sim

Form PTO-1595 (Rev. 08/05) OMB No. 0651-0027 (exp. 6/30/2008) OS - 10 - 2	2007	U.S. DEPARTMENT OF COMMERCE Unite hates Patent and Trademark Office
		ET
To the Director of the U.S. Patent 103435	956	I documents or the new address(es) below.
1. Name of conveying party(ies)		ddress of receiving party(ies)
John Michael Ryan	Name: 0k1	ahoma State Bank
John Michael Kyan	Internal Addres	s:
Additional name(s) of conveying party(les) attached? Yes No 3. Nature of conveyance/Execution Date(s):	Stroot Address	120 W. Canadian
Execution Date(s) May 7, 2007	Street Address.	
Assignment Merger		
	City: Vin	ita
Security Agreement Change of Name Joint Research Agreement		
Government Interest Assignment	State: 0kla	A
Executive Order 9424, Confirmatory License	Country: US.	A zip: 74301
Other		
		s) & address(es) attached? Yes X No
4. Application or patent number(s): This A. Patent Application No.(s)	document is beir B. Patent No	ng filed together with arnew application. c.(s)
The district opposition (5)	5,911,18	
	5,113,70	2 (r) ±
Additional numbers att		
5. Name and address to whom correspondence concerning document should be mailed:		r of applications and patents
Name: Jim Shelton		
	i — `	CFR 1.21(h) & 3.41) \$ 80.00
Internal Address: Oklahoma State Bank		to be charged by credit card
100 II d		to be charged to deposit account
Street Address: 120 W. Canadian	Enclosed	
***		ired (government interest not affecting title)
City: Vinita	8. Payment in	٩. ا
State: Oklahoma Zip: 74301	a. Credit Cai	rd Last 4 Numbers & &
Phone Number: 918-782-0011	h Danasik A	8
Fax Number: 918-782-2457		ccount Number 5
Email Address: jshelton@okstatehank.com	Authorize	d User Name
9. Signature:		August 3, 20#7
Signature		Date E
Jim Shelton	Т	otal number of pages including cover
Name of Person Signing Documents to be recorded (including cover shee		

Mail Stop Assignment Recordation Services, Director of the USPTO, P.O.Box 1450, Alexandria, V.A. 22313-1450

PATENT

REEL: 057191 FRAME: 0925



US(_\)\\11189A

United States Patent [19]

[11] Patent Number:

5,911,189

Ryan

3,177,839

3,336,896

[45] Date of Patent:

Jun. 15, 1999

[54] BOAT GUIDE FOR USE IN GUIDING A BOAT INTO OR OUT OF A BOAT SLIP			
[76]	Inventor:		Michael Ryan, P.O. Box 238, hum, Okla. 74349
[21]	Appl. No	o.: 09/1 0	09,629
[22]	Filed:	Jul.	2, 1998
[51] [52] [58]	U.S. Cl.		
[56]		Re	eferences Cited
	Ţ	J.S. PA	TENT DOCUMENTS
~	799,645 2,652,694	9/1905	
	032,094 !.754.792		
			Bell
			Kulick, Sr
		10/1964	

4/1965 Nolf 114/230

8/1967 Burnett 115/7


4,679,517	7/1987	Kramer	. 114/45
4,804,296	2/1989	Smith	405/212
4,920,907	5/1990	Richter	114/219
5,113,702	5/1992	Capps	114/219

Primary Examiner—Ed L. Swinehart Attorney, Agent, or Firm—Head Johnson & Kachigian

[57] ABSTRACT

A boat guide for use in guiding a boat into or out of a boat stip has an elongated upright tubular member with upper and tower end caps, each end cap having a central opening therethrough. An axle is received coaxially within the tubular member and extends through the openings in the end caps, the axle being of external diameter less than the interior diameter of the tubular member providing an annular space between the axle and the tubular member so that the tubular member can deflect relative to the axle to absorb the shock of a boat impact. An upper attachment above the upper end cap and a lower attachment below the lower end cap provide vertical support for the axle, the tubular member and end caps being rotatable relative to the upper and lower attachments.

21 Claims, 4 Drawing Sheets





US005113702A

United States Patent [19]

Capps

[11] Patent Number:

5,113,702

[45] Date of Patent:

May 19, 1992


[54]	BOAT ANI	D DOCK GUARD	
[76]	Inventor:	Lloyd O. Capps, Rie. 5, Box 338, Claremore, Okla. 74017	
[21]	Appl. No.:	515,851	
[22]	Filed:	Apr. 30, 1990	
[51] [52]	lnt. Cl. ³ U.S. Cl		
[58]	Field of Ser 1	urch	
[56]		References Cited	
U.S. PATENT DOCUMENTS			
	3,084,517 4/1 3,151,595 10/1 3,177,839 4/1 3,335,896 8/1 4,679,517 7/1	956 Baird 114/230 963 Bell 405/213 964 Stainbrook 114/230 965 Nolf 114/230 967 Burnett 114/230 987 Kramer 114/45 990 Richter 114/219	

Primary Examiner—Sherman Basinger Assistant Examiner—Stephen P. Avila Attorney, Agent, or Firm—Head & Johnson

[57] ABSTRACT

A boat dock for use to store boat therein, the boat dock including a boat slip having an open entry, opposed sidewalls and a front, a dock guard secured to each dock sidewall at the entry and extending laterally from the sidewall to which it is attached and forwardly of the entry. A first intermediate guard affixed to one of the dock sidewalls and extending a short distance from the sidewall, a second intermediate guard affixed to the other sidewall opposite to the first intermediate guard. the second intermediate guard extending a short distance from the sidewall, the first intermediate guard being adjustable so that the spacing between the first and second intermediate guards is that which is slightly greater than the width of the boat to which the dock is adapted and a pair of padded stop members secured to the dock front and spaced apart and positioned to receive the forward position of the boat bow therebetween and a winch secured to the dock from between the pair of padded stop members, the winch having a retractable flexible member, the outer end of which is attached to the bow of the boat.

5 Claims, 4 Drawing Sheets



PATENT REEL: 057191 FRAME: 0927

RECORDED: 08/16/2021